



# 1Z0-068<sup>Q&As</sup>

Oracle Database 12c: RAC and Grid Infrastructure Administration

**Pass Oracle 1Z0-068 Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/1z0-068.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





### QUESTION 1

You must deploy several Oracle 12c databases on an Oracle Grid Infrastructure Managed Cluster, and are required to have the ability to perform these actions without down time:

1.

Apply a Grid Infrastructure interim patch.

2.

Apply a Grid Infrastructure Patch Set Update (PSU).

3.

Apply a database on-line patch.

4.

Apply a Grid Infrastructure patchset.

5.

Apply a database patchset.

6.

Upgrade Grid Infrastructure from one release to another.

7.

Upgrade databases from one release to another. Your plan is to perform these tasks:

1.

Install and configure Oracle Grid Infrastructure on a local file system.

2.

Install Oracle Database software on an ACFS file system.

3.

Create several RAC One Node databases. Which of the 7 requirements are met by your plan?

A. 1, 2, 3, 4, 5, 6 and 7.

B. 1, 2, 3, 4 and 6.

C. 1, 2, 3, 4, 5 and 6.

D. 1, 2, 3 and 4.

E. 2, 3, 4 and 6.



F. 2, 3, 4, 5 and 6.

Correct Answer: F

Section: (none)

---

## QUESTION 2

Examine this command and output:

```
$ srvctl config db -db ron
Database unique name: ron
Database name:
Oracle home: /u01/app/oracle/product/12.1.0.1.0db
oracle user: oracle
Spfile: +data/ron/spfileron.ora
Password file: +data/ron/password/pwdron.297.835619023
Domain: example.com
Start options: open
Stop options immediate
Database role: PRIMARY
Management policy: AUTOMATIC
Server pools: ron
Database instances:
Disk Groups: DATA
Mount point paths:
Services:
Type: RACOneNode
Online relocation timeout: 30
Instance name prefix: ron
Candidate servers: 016n1,016n2
Database is administrator managed
```

Examine this list of commands:

1.

```
srvctl convert db -db ron -dbtype rac -node o16n1
```

2.

```
srvctl convert db -db ron -dbtype raconenode -node 016n1
```

3.

```
srvctl add instance -db ron -instance ron_1 -node 016n1
```

4.



srvct1 add instance -db ron -instance ron\_2 -node o16n2

5.

srvct1 start instance -db ron -instance ron\_1

6.

srvct1 start instance -db ron -instance ron\_1

Currently, there is an instance of database ron running on o16n1.

You want to convert ron to a RAC database and make all instances available.

Identify the commands required, in the correct order, to accomplish this.

A. 1 3, 4, 5 and 6

B. 2, 3, 4,5 and 6

C. 1, 4, 5 and 6

D. 2, 4, 5 and 6

E. 1,4 and 6

F. 2,4 and 6

Correct Answer: A

Section: (none)

---

### QUESTION 3

Which two statements are true regarding ASM when installing Oracle Grid Infrastructure 12c? (Choose two.)

A. The Installer permits the creation of a disk group for use by the voting disks and OCR file.

B. If no ASM disk groups are specified during installation, then ASM instances are not started after the installation completes on any cluster node.

C. The Installer permits the creation of a disk group to be used for the Recovery Area for the ASM instance.

D. If ASM disk groups are configured for the Clusterware files, then ASM must be used for all databases on the cluster.

E. ASM disk groups used for voting files and OCR files require a quorum failgroup.

Correct Answer: DE

Section: (none)

---

### QUESTION 4



Which two statements are true concerning ASM diskgroups using disks with a 4k sector size?

- A. Their COMPATIBLE.ASM attributes must be set to 12.1 or higher.
- B. Their COMPATIBLE.ASM attributes must be set to 11.2 or higher.
- C. Performance of ACFS is improved by using these diskgroups.
- D. Their COMPATIBLE.RDBMS attributes must be set to 11.2 or higher.
- E. Their sector size attributes can be changed using the ALTER DISKGROUP command.

Correct Answer: BD

Section: (none)

The values for SECTOR\_SIZE can be set to 512, 4096, or 4K if the disks support those values. The default value is platform dependent. The COMPATIBLE.ASM and COMPATIBLE.RDBMS disk group attributes must be set to 11.2 or higher

to set the sector size to a value other than the default value.

Incorrect Answers:

C: Oracle ASM provides support for 4 KB sector disk drives without negatively affecting performance.

Reference: <https://docs.oracle.com/database/121/OSTMG/GUID-8B656725-D347-4166-8775-1070B6C4D580.htm#OSTMG10203>

---

## QUESTION 5

Which three statements are true about the services created when the DBCA is used to create a RAC database?

- A. They can be policy managed for a multitenant database.
- B. Singleton services are not permitted for multitenant databases.
- C. A server-pool must be created with SRVCTL before creating a policy-managed RAC database that uses that server-pool for a service.
- D. Policy-managed services specified for a database allow the creation of a new server pool using DBCA.
- E. They can be administrator managed for a multitenant database.

Correct Answer: BCE

Section: (none)

C: Cluster Managed Services are no longer managed through DBCA. Instead, use the Cluster Managed Services page in Oracle Enterprise Manager Cloud Control, if available, or SRVCTL.

E: During installation, if you select a multitenant container database (CDB), and configure pluggable databases (PDBs), then Oracle recommends that you add services to the PDBs after installation. Incorrect Answers:

D: Cluster Managed Services are no longer managed through DBCA. Instead, use the Cluster Managed Services page



in Oracle Enterprise Manager Cloud Control, if available, or SRVCTL. References:  
<https://docs.oracle.com/database/121/RIWIN/dbcacrea.htm#RIWIN1320>

[Latest 1Z0-068 Dumps](#)

[1Z0-068 Study Guide](#)

[1Z0-068 Exam Questions](#)