



1Z0-072^{Q&As}

Oracle Database 12cR2 Administration

Pass Oracle 1Z0-072 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/1z0-072.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

Examine this command and its partial output:

```
LSNRCTL> start LISTENER_1

Listening Endpoints Summary...
  (DESCRIPTION=(ADDRESS=(PROTOCOL=tcp) (HOST=host01.abc.com ) (PORT=1562)))
Services Summary...
Service " DB01.abc.com " has 1 instance(s).
  Instance " DB01 ", status UNKNOWN, has 1 handler(s) for this service...
The command completed successfully
```

Why does the DB01.abc.com service show unknown status?

- A. The listener does not listen on the default port 1521.
- B. The SID_LIST_LISTENER section is missing in the LISTENER.ORA file.
- C. The service is dynamically registered.
- D. The service is statically registered.
- E. The LOCAL_LISTENER parameter list does not contain LISTENER_1.

Correct Answer: B

QUESTION 2

Which two are true about complete and incomplete recovery? (Choose two.)

- A. Uncommitted transactions will be rolled back after complete recovery completes.
- B. The database must have FLASHBACK enabled in order to perform incomplete recovery.
- C. Uncommitted transactions will be rolled back after incomplete recovery completes.
- D. Incomplete recovery is possible only when the database is open.
- E. Only incremental backups can be used to roll forward the database while performing complete recovery.

Correct Answer: AE

QUESTION 3

In a database, the default temporary tablespace is TEMP and USER1's default tablespace is DATA. Examine these parameters:



NAME	TYPE	VALUE
-----	-----	-----
TEMP_UNDO_ENABLED	boolean	TRUE
UNDO_MANAGEMENT	string	AUTO
UNDO_RETENTION	integer	900
UNDO_TABLESPACE	string	UNDOTBS1

Which tablespace stores UNDO generated by USER1\\'s DML on temporary tables?

- A. DATA
- B. SYSTEM
- C. SYSAUX
- D. TEMP
- E. UNDOTBS1

Correct Answer: D

QUESTION 4

Which two are true about incomplete recovery? (Choose two.)

- A. Incremental backups cannot be used to roll forward the database while performing it.
- B. Uncommitted transactions will be rolled back after it completes.
- C. It is possible only when the database is in MOUNT state.
- D. The database must have FLASHBACK enabled in order to perform it.
- E. Only RMAN backupsets can be used to restore a database as part of it.

Correct Answer: DE

QUESTION 5

Which three statements are true about an spfile? (Choose three)

- A. It contains only static initialization parameters.
- B. It is the first file processed at instance startup.
- C. It can be edited by SYS when the database instance is shut down.



D. It must exist for a database instance to start.

E. It can be used to create a pfile.

F. It contains initialization parameters whose values can be changed using the ALTER SYSTEM command.

Correct Answer: DEF

Reference: <https://oracle-base.com/articles/9i/persistent-initialization-parameters>

[1Z0-072 VCE Dumps](#)

[1Z0-072 Practice Test](#)

[1Z0-072 Braindumps](#)