



1Z0-082^{Q&As}

Oracle Database Administration I

Pass Oracle 1Z0-082 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/1z0-082.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

In one of your databases, the user HR has the password HRMGR.

You want to connect to a database instance whose listener listens on port 1531 by using this statement:

```
CONNECT HR/HRMGR@orcl
```

No name server is used.

Which statement is true about ORCL?

- A. It must be the value of the SERVICE_NAMES parameter on the client side
- B. It must resolve to a valid connect descriptor in the server\\'s tnsnames.ora file
- C. It must resolve to a valid connect descriptor in the client\\'s tnsnames.ora file
- D. It must be the name of the database to whose instance HR wishes to connect
- E. It must be the name of the server running the database to whose instance HR wishes to connect

Correct Answer: C

QUESTION 2

In the SALES database, DEFERRED_SEGMENT_CREATION is TRUE.

Examine this command:

```
SQL> CREATE TABLE T1(c1 INT PRIMARY KEY, c2 CLOB);
```

Which segment or segments, if any, are created as a result of executing the command?

- A. T1, an index segment for the primary key, a LOB segment, and a lobindex segment
- B. no segments are created
- C. T1 only
- D. T1 and an index segment created for the primary key only
- E. T1, an index segment for the primary key, and a LOB segment only

Correct Answer: B

DEFERRED_SEGMENT_CREATION specifies the semantics of deferred segment creation. If set to true, then segments for tables and their dependent objects (LOBs, indexes) will not be created until the first row is inserted into the table. Before creating a set of tables, if it is known that a significant number of them will not be populated, then consider setting this parameter to true. This saves disk space and minimizes install time



```
SQL> alter session set deferred_segment_creation=TRUE;
```

Session altered.

```
SQL> CREATE TABLE T1(c1 INT PRIMARY KEY, c2 CLOB);
```

Table created.

```
SQL> select segment_name,segment_type,bytes from user_segments;
```

no rows selected

QUESTION 3

Which three statements are true about advanced connection options supported by Oracle Net for connection to Oracle Database instances? (Choose three.)

- A. Connect Time Failover requires the use of Transparent Application Failover (TAF)
- B. Source Routing requires the use of a name server
- C. Source Routing enables the use of Connection Manager (CMAN) which enables network traffic to be routed through a firewall
- D. Load Balancing can balance the number of connections to dispatchers when using a Shared Server configuration
- E. Load Balancing requires the use of a name server
- F. Connect Time Failover requires the connect string to have two or more listener addresses configured

Correct Answer: CDF

Reference: https://docs.oracle.com/cd/E11882_01/network.112/e41945/advcfg.htm#NETAG013

QUESTION 4

Which three statements are true about the Oracle join and ANSI join syntax? (Choose three.)

- A. The Oracle join syntax supports creation of a Cartesian product of two tables
- B. The Oracle join syntax performs better than the SQL:1999 compliant ANSI join syntax
- C. The SQL:1999 compliant ANSI join syntax supports natural joins
- D. The SQL:1999 compliant ANSI join syntax supports creation of a Cartesian product of two tables
- E. The Oracle join syntax only supports right outer joins
- F. The Oracle join syntax supports natural joins
- G. The Oracle join syntax performs less well than the SQL:1999 compliant ANSI join syntax



Correct Answer: ACD

<https://oracle-base.com/articles/9i/ansi-iso-sql-support>

QUESTION 5

View the Exhibit and examine the structure of the PRODUCTS table.

Which two tasks require subqueries? (Choose two.)

Table PRODUCTS		
Name	Null?	Type
PROD_ID	NOT NULL	NUMBER(6)
PROD_NAME	NOT NULL	VARCHAR2(50)
PROD_DESC	NOT NULL	VARCHAR2(4000)
PROD_CATEGORY	NOT NULL	VARCHAR2(50)
PROD_CATEGORY_ID	NOT NULL	NUMBER
PROD_UNIT_OF_MEASURE		VARCHAR2(20)
SUPPLIER_ID	NOT NULL	NUMBER(6)
PROD_STATUS	NOT NULL	VARCHAR2(20)
PROD_LIST_PRICE	NOT NULL	NUMBER(8,2)
PROD_MIN_PRICE	NOT NULL	NUMBER(8,2)

- A. Display the number of products whose PROD_LIST_PRICE is more than the average PROD_LIST_PRICE
- B. Display suppliers whose PROD_LIST_PRICE is less than 1000
- C. Display products whose PROD_MIN_PRICE is more than the average PROD_LIST_PRICE of all products, and whose status is orderable
- D. Display the total number of products supplied by supplier 102 which have a product status of obsolete
- E. Display the minimum PROD_LIST_PRICE for each product status

Correct Answer: AC

[Latest 1Z0-082 Dumps](#)

[1Z0-082 PDF Dumps](#)

[1Z0-082 VCE Dumps](#)