



1Z0-083^{Q&As}

Oracle Database Administration II

Pass Oracle 1Z0-083 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/1z0-083.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

Which two are true about the character sets used in an Oracle database? (Choose two.)

- A. Single-byte character sets provide better performance than multibyte character sets.
- B. Unicode enables information from any language to be stored using a single character set.
- C. Unicode is the only supported character set for Oracle databases created using Database Configuration Assistant (DBCA).
- D. Single-byte character sets always use 7-bit encoding schemes.
- E. Multibyte character sets allow more efficient space utilization than single byte character sets.
- F. Single-byte character sets always use 8-bit encoding schemes.

Correct Answer: AB

A > Single-byte character sets result in better performance than multibyte character sets, and they also are the most efficient in terms of space requirements.

B> Unicode is a universal encoded character set that enables information from any language to be stored using a single character set.

Reference:

<https://docs.oracle.com/database/121/NLSPG/ch2charset.htm#NLSPG166>

https://docs.oracle.com/cd/B19306_01/server.102/b14225/ch6unicode.htm#:~:text=Unicode%20is%20a%20universal%20encoded%20character%20set%20that,been%20adopted%20by%20many%20software%20and%20hardware%20vendors.

QUESTION 2

Which two are true about creating pluggable databases (PDBs) in Oracle 19c and later releases?

- A. A PDB snapshot depends on an existing storage snapshot of the source PDB.
- B. APDB snapshot can be a full copy of a source PDB.
- C. A PDB snapshot can be a sparse copy of a source PDB
- D. A snapshot copy PDB depends on a storage snapshot which can only be stored on specific file systems.
- E. A snapshot copy PDB can be created from a stand-alone clone PDB.

Correct Answer: DE

QUESTION 3



Examine these queries and their output: After a system crash, an instance restart and an attempted opening of the PDBs result in:

```
SQL> select log_mode from v$database;
```

```
LOG_MODE
-----
ARCHIVELOG
```

```
SQL> select property_name, property_value
  2 from database_properties where property_name like '%UNDO%';
```

```
PROPERTY_NAME          PROPERTY_VALUE
-----
LOCAL_UNDO_ENABLED FALSE
```

```
SQL> select p.name, f.file#, t.name
  2 from v$containers p, v$datafile f, v$tablespace t
  3 where p.con_id=f.con_id
  4 and p.com_id=t.com_id
  5 and t.ts#=f.ts#
  6 order by 1, 2;
```

```
NAME          FILE#          NAME
-----
CDB$ROOT      1             SYSTEM
...
PDB1          24            SYSTEM
...
PDB2          16            SYSTEM
```

```
SQL> startup quiet
ORACLE instance started.
Database mounted.
Database opened.
SQL> alter pluggable database all open;
alter pluggable database all open
*
ERROR at line 1:
ORA-01157: cannot identify/lock data file 24 - see DBWR trace file
ORA-01110: data file 24:
'/u01/oradata/V122CDB1/516000726D464D04E054000C29704164/datafile/o1_mf_system_dmj30kld_.dbf'
```

Which two are true? (Choose two.)

A. Data file 24 can be recovered while PDB2 is opened.



- B. Data file 24 must be recovered while the CDB is opened.
- C. Data file 24 can be recovered while CDB\$ROOT and PDB\$SEED are opened.
- D. Data file 24 cannot be recovered while the CDB is opened.
- E. Data file 24 must be recovered while PDB2 is closed.

Correct Answer: AC

Datafile 24 belongs to PDB1.

- A. It can be recovered while CDB while PDB2 is opened, as it belongs to PDB1.
 - C. the datafile belongs to PDB1 and CAN be recovered while CDB is opened or in mount state.
-

QUESTION 4

Which three actions are mandatory post database upgrade? (Choose three).

- A. Updating client scripts with the new Oracle home.
- B. Resetting passwords to enforce case-sensitivity.
- C. Run OPatch commands from the new Oracle home.
- D. Setting threshold values for table space alerts.
- E. Migration to unified auditing.
- F. Upgrading user tables that depend on Oracle-maintained abstract data types.

Correct Answer: ACF

QUESTION 5

In which two situations can you use Database Upgrade Assistant? (Choose two.)

- A. when the operating system (OS) needs to be changed as part of the upgrade
- B. when a character set conversion is required during the upgrade
- C. when multiple pluggable databases in a container database have to be upgraded in a specific sequence
- D. when the target and source database are on the same platform
- E. when the hardware platform needs to be changed as part of the upgrade

Correct Answer: CD

Reference: <https://docs.oracle.com/en/database/oracle/oracle-database/12.2/upgrd/upgrading-oracle-database-upgrade-assistant-dboa.html#GUID-F929338D-48EE-434F-A5F9-A9E7CD61B17F>



VCE & PDF

GeekCert.com

<https://www.geekcert.com/1z0-083.html>

2024 Latest geekcert 1Z0-083 PDF and VCE dumps Download

[1Z0-083 VCE Dumps](#)

[1Z0-083 Study Guide](#)

[1Z0-083 Braindumps](#)