



# 1Z0-083<sup>Q&As</sup>

Oracle Database Administration II

## Pass Oracle 1Z0-083 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/1z0-083.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle  
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





### QUESTION 1

choose one You enable Flashback Data Archive for a table for which you want to track and save all transactions for four years. After some time, the requirement changes for keeping transactions from four to two years.

You execute the following command to change the requirement: SQL> ALTER FLASHBACK ARCHIVE fda1 MODIFY RETENTION 2 YEAR;

What is the outcome?

- A. All historical data older than two years, if any, is purged from the flashback archive FDA1.
- B. An error is returned because the retention period cannot be reduced.
- C. All the flashback data archives are purged and the subsequently created flashback archives are maintained for two years
- D. All historical data older than two years, if any, is archived to flashback logs and the flashback archive is set to new retention time.

Correct Answer: A

---

### QUESTION 2

Which three methods can be used for heap table data migration after upgrading a database? (Choose three.)

- A. using Database Replay
- B. using SQL Developer
- C. using Oracle Data Pump
- D. using operating system file copy utilities
- E. using Database Upgrade Assistant
- F. using the CREATE TABLE AS SELECT SQL statement

Correct Answer: BCF

---

### QUESTION 3

A redaction policy was added to the SAL column of the SCOTT.EMP table:



```
BEGIN
  DBMS_REDACT.ADD_POLICY(
    OBJECT_SCHEMA => 'SCOTT',
    OBJECT_NAME   => 'EMP',
    POLICY_NAME   => 'SCOTT_EMP',
    COLUMN_NAME   => 'SAL',
    EXPRESSION    => 'SYS_CONTEXT("SYS_SESSION_ROLES", "MGR") = "FALSE"' );
END;
/
```

All users have their default set of system privileges.

For which three situations will data not be redacted? (Choose three.)

- A. SYS sessions, regardless of the roles that are set in the session
- B. SYSTEM sessions, regardless of the roles that are set in the session
- C. SCOTT sessions, only if the MGR role is set in the session
- D. SCOTT sessions, only if the MGR role is granted to SCOTT
- E. SCOTT sessions, because he is the owner of the table
- F. SYSTEM session, only if the MGR role is set in the session

Correct Answer: ABD

---

#### QUESTION 4

Which three are true about Automatic Workload Repository (AWR) and Automatic Database Diagnostic Monitor (ADDM) in an Oracle multitenant environment? (Choose three.)

- A. ADDM can run in a nonroot container.
- B. AWR snapshots can be created in CDB\$ROOT.
- C. AWR reports can be generated while connected to any container.
- D. All AWR data is stored in the CDB\$ROOT SYSAUX tablespace.
- E. AWR snapshots can be created in a PDB.
- F. No AWR data is stored in the CDB\$ROOT SYSAUX tablespace.

Correct Answer: ABE

The CDB-level snapshot data is stored in the SYSAUX tablespace of a CDB root. The PDB-level snapshot data is stored in the SYSAUX tablespace of a PDB.

Starting with Oracle Database 12c, ADDM is enabled by default in the root container of a multitenant container database



---

(CDB). Starting with Oracle Database 19c, you can also use ADDM in a pluggable database (PDB).

---

#### QUESTION 5

Which two statements are true about encrypted backups performed by using RMAN? (Choose two)

- A. Transparent encryption of backups uses an encryption wallet.
- B. Image copy backups can be created by using password encryption.
- C. A password encryption of backups uses the password while creating and restoring backups.
- D. Encrypted backups can only be written to disk.
- E. A database uses the same encryption key for every encrypted backup.

Correct Answer: AC

[1Z0-083 PDF Dumps](#)

[1Z0-083 VCE Dumps](#)

[1Z0-083 Braindumps](#)