



1Z0-083^{Q&As}

Oracle Database Administration II

Pass Oracle 1Z0-083 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/1z0-083.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

Which two are true about RMAN duplexed backup sets? (Choose two.)

- A. They can be written only to disk.
- B. They must be written to media.
- C. They can be created by using the RMAN CONFIGURE command to specify duplexing before taking a backup.
- D. They can be created only by using the COPIES option of a BACKUP command.
- E. They can be written to media.

Correct Answer: BD

Reference: <https://web.stanford.edu/dept/itss/docs/oracle/10gR2/backup.102/b14191/rcmconc1003.htm#:~:text=Duplexed%20Backup%20Sets,destinations%20with%20one%20BACKUP%20command.>

QUESTION 2

Which three are true about recovery operations done without using Recovery Manager (RMAN)? (Choose three.)

- A. A lost SPFILE can be recovered from memory using SQL*PLUS.
- B. A lost password file can be re-created with SQL*PLUS.
- C. A lost TEMPFILE must always be re-created manually.
- D. A lost password file can be manually re-created with the orapwd utility.
- E. A lost PFILE can be re-created alert.log using SQL*PLUS.
- F. A lost index tablespace can be re-created without performing any recovery.

Correct Answer: ADF

QUESTION 3

In performance management, which two factors might reduce the ability of an application to scale to a large number of users? (Choose two.)

- A. poorly written SQL
- B. the number of tablespaces containing tables updated by a transaction
- C. poorly trained users who do not commit transactions
- D. the number of data files containing extents belonging to tables updated by a transaction



E. issuing multiple savepoints during a transaction

Correct Answer: AC

QUESTION 4

A database is configured in ARCHIVELOG mode.

Full RMAN backups are taken and no backup to trace has been taken of the control file.

A media failure has occurred.

In which two scenarios is complete recovery possible? (Choose two.)

- A. when any archived log from, before, or after the most recent backup is corrupt.
- B. after losing all copies of the control file
- C. after losing an archived log from after the most recent backup
- D. after losing an archived log from before the most recent backup
- E. after losing the SYSTEM tablespace

Correct Answer: BD

thegeekstuff.com/2014/11/oracle-rman-restore/

This is a complete recovery even though the database is opened with resetlogs option:

```
RMAN> STARTUP NOMOUNT;
```

```
RMAN> RESTORE CONTROLFILE FROM "/backup/rman/ctl_c-12345-20141003-03";
```

```
RMAN> RESTORE DATABASE;
```

```
RMAN> RECOVER DATABASE;
```

```
RMAN> ALTER DATABASE OPEN RESETLOGS;
```

QUESTION 5

A container database (CDB) contains two pluggable databases PDB1 and PDB2.

The LOCAL_UNDO_ENABLED database property is set to FALSE in the CDB.

Data file 24 of PDB2 was deleted and you need to restore and recover it.

The only RMAN backup that exists was created with the BACKUP DATABASE command while connected to CDB\$ROOT.



Which three are true? (Choose three.)

- A. Data file 24 can be recovered only while connected to PDB2.
- B. Data file 24 can be restored and recovered while connected to CDB\$ROOT.
- C. Data file 24 can be restored only while connected to CDB\$ROOT.
- D. Data file 24 can be restored only while connected to PDB2.
- E. Data file 24 can be recovered while connected to PDB2.
- F. Data file 24 can be recovered while connected to CDB\$ROOT.

Correct Answer: BEF

Restoration AND recovery can be done by CDB\$ROOT. Recovery can be done by CDB\$ROOT or the PDB in question.

[Latest 1Z0-083 Dumps](#)

[1Z0-083 VCE Dumps](#)

[1Z0-083 Study Guide](#)