



1Z0-1041-20^{Q&As}

Oracle Cloud Platform Enterprise Analytics 2020 Specialist

Pass Oracle 1Z0-1041-20 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/1z0-1041-20.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

You want to create an Essbase cube using a MaxL script. This is the content of the Max! script:

```
alter system enable unicode;  
create or replace application "ASOmaxl" type unicode_mode using  
aggregate_storage;  
create or replace database "ASOmaxl"."Sample";  
alter system unload application ASOmaxl;  
alter system load application ASOmaxl;
```

You saved the script file locally as cubeBuild.mx1, uploaded it to the cloud service, and executed a "MaxL script" job type. The job failed. What is the problem?

- A. Only one MaxL statement per script is allowed.
- B. It is an invalid script file. A script file must be saved with a .msh extension.
- C. It is an invalid MaxL statement. "Create or replace database" is not supported.
- D. MaxL scripts are not supported.
- E. It is an invalid job type.

Correct Answer: B

QUESTION 2

You've created an instance with 1 OCPU and 15 GB of RAM. What is this combination of OCPU and RAM called?

- A. Compute shape
- B. Analytics shape
- C. Classic compute
- D. Architecture shape

Correct Answer: A

QUESTION 3

Which two statements are true regarding configuring filters to control visual content?

- A. Expression filters cannot be applied in the filter steps of Oracle Analytics Cloud Data Visualization data flows.
- B. Variables may be employed in all Data Visualization filter types (that is, Range, List, Date, Expression).



C. Application role filters for fact and dimension tables are defined in the Oracle Analytics Cloud Data Modeler.

D. When the Oracle Business Intelligence Enterprise Edition repository is used as a data source, filters defined in the initialization blocks with the client administration tool are automatically inherited in Data Visualization.

Correct Answer: CD

QUESTION 4

Which are the steps to create a new Map Layer in OAC?

A. From the map visualization select map properties, new layer and drag JSON file.

B. From the OAC console, go to maps and drag and drop a JSON file.

C. From the OAC console, go to maps and drag and drop a geoJSON file.

D. From the map visualization select map properties, new layer and drag geoJSON file.

Correct Answer: C

QUESTION 5

How should you determine the accuracy of a machine learning model created in Oracle Analytics Cloud?

A. Open the Inspect dialog for a given machine learning model and review the F1 score.

B. Run the machine learning model with various filter values applied.

C. Create a data flow that Includes a histogram.

D. Use the debug option in the data flow where the model was created.

Correct Answer: A

[1Z0-1041-20 PDF Dumps](#)

[1Z0-1041-20 VCE Dumps](#)

[1Z0-1041-20 Braindumps](#)