



1Z0-1042-20^{Q&As}

Oracle Cloud Platform Application Integration 2020 Specialist

Pass Oracle 1Z0-1042-20 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/1z0-1042-20.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

You are tasked with creating a new integration in OIC that will be exposed to clients as a SOAP web service. In addition, this integration will be invoking an external SOAP web service as part of the orchestration flow logic.

In your creation of these SOAP adapter connection components, which is a valid consideration?

- A. You must explicitly specify the target server TLS version for the external web service outbound Invoke connection configuration.
- B. The WSDL URL property value can be defined by uploading a file for either the inbound Trigger connection or the outbound Invoke connection configurations.
- C. The SAML and OAuth security policies are available options for creating either the inbound Trigger connection or the outbound Invoke connection configurations.
- D. Suppress insertion of timestamp into the request and Ignore timestamp in the response message are optional fields only for the outbound Invoke connection configuration.

Correct Answer: D

QUESTION 2

Which two are NOT default start and end events in the Processes feature of Oracle Integration Cloud?

- A. SOAP start and SOAP end event
- B. Folder start and None end event
- C. Message start and Message end event
- D. Task start and end event
- E. None start and end event

Correct Answer: AD

<https://docs.oracle.com/en/cloud/paas/integration-cloud/user-processes/define-process-start-andend.html#GUID-E3E20D7C-D135-419C-8750-F8D9147590D8>

QUESTION 3

Which operation is NOT supported by Stage activity?

- A. Read Entire File
- B. Delete File



- C. Write File
- D. Unzip File
- E. Zip File
- F. Read File in Segments

Correct Answer: F

QUESTION 4

What are two possible reasons for a Gateway not getting started?

- A. The IoT Service may be down.
- B. The provisioning file may contain correct Activation ID and Activation Secret.
- C. There is an invalid certificate.
- D. The provisioning file may contain incorrect Activation ID and incorrect Activation Secret.

Correct Answer: AD

QUESTION 5

What are the two types of analytics processors in Oracle Internet of Things (IoT) Cloud Service?

- A. Batch Analytics Processors
- B. Natural Analytics Processors
- C. Static Analytics Processors
- D. streaming Analytics Processors

Correct Answer: AD

<https://docs.oracle.com/en/cloud/paas/iot-cloud/iotgs/understanding-analytics-processors.html> The type of analytics processor to use depends on the nature of your data: Streaming Analytics Processors Use streaming analytics processors to analyze high volumes of rapidly changing data streamed from your sensors and devices. Streaming analytics processors are continuously running from the moment you deploy them, waiting for your devices to stream data. See Creating Streaming Analytics Processors. Batch Analytics Processors Use batch analytics processors to analyze large volumes of batch data. Typically, batch analytics processors process data stored in the Oracle NoSQL or other data sources. Unlike streaming analytics processors they are not continuously running, they only run when you call them using the REST API they expose.

[1Z0-1042-20 PDF Dumps](#)

[1Z0-1042-20 Practice Test](#)

[1Z0-1042-20 Study Guide](#)