



# 1Z0-1067-21<sup>Q&As</sup>

Oracle Cloud Infrastructure 2021 Cloud Operations Associate

## Pass Oracle 1Z0-1067-21 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/1z0-1067-21.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





### QUESTION 1

One of your development teams has asked for your help to standardize the creation of several compute instances that must be provisioned each day of the week. You initially write several Command Line Interface (CLI) commands with all appropriate configuration parameters to achieve this task later determining this method lacks flexibility.

Which command generates a JSON-based template that Oracle Cloud Infrastructure (OCI) CLI can use to provision these instances on a regular basis? (Choose the best answer.)

- A. `oci compute instance create --generate-cli-skeleton`
- B. `oci compute instance launch --generate-cli-skeleton`
- C. `oci compute provision-instance --generate-full-command-json-input`
- D. `oci compute instance launch --generate-full-command-json-input`

Correct Answer: D

Reference: <https://docs.oracle.com/en-us/iaas/Content/API/SDKDocs/cliusing.htm>

---

### QUESTION 2

You are working with Terraform on your laptop and have been tasked with spinning up multiple compute instances in Oracle Cloud Infrastructure (OCI) for a project. In addition, you are also required to collect IP

addresses of provisioned instances and write them to a file and save it in your laptop. Which specific Terraform functionality can help accomplish this task? (Choose the best answer.)

- A. Terraform modules
- B. Terraform remote state
- C. Terraform local-exec
- D. Terraform remote-exec

Correct Answer: A

---

### QUESTION 3

You are using the Oracle Cloud Infrastructure Command Line Interface to launch a Linux virtual machine. You enter the following command (with correct values for all parameters): The command fails.



```
oci compute instance launch --availability-domain  
"<availability_domain_name>" -t <tenancy_id> -c <compartment_id>  
--shape "<shape_name>" --display-name "<instance_display_name>"  
--image-id <image_id> --ssh-authorized-keys-file  
"<path_to_authorized_keys_file>" --subnet-id <subnet_id>
```

Which is NOT a valid parameter in this command? (Choose the best answer.)

- A. -t
- B. --image-id
- C. --shape "<shape\_name>"
- D. -c
- E. --subnet-id

Correct Answer: A

#### QUESTION 4

You have recently been asked to take over management of your company's infrastructure provisioning efforts, utilizing Terraform v0.12 to provision and manage infrastructure resources in Oracle Cloud Infrastructure (OCI). For the past few days the development environments have been failing to provision. Terraform returns the following error: You locate the related code block in the Terraform config and find the following:

```
Error: Missing item separator
```

```
on vcn_peer_lab.tf line 15, in resource "oci_core_security_list" "ManagementSecurityList":  
15: tcp_options = [min = "22", max = "22"]
```

```
Expected a comma to mark the beginning of the next item.
```

```
(11) ingress_security_rules {  
(12)     protocol = 6  
(13)     source = "0.0.0.0/0"  
(14)  
(15)     tcp_options = [min = "22", max = "22"]  
(16) }
```

Which correction should you make to solve this issue? (Choose the best answer.)

- A. Place a command at the end of line 16
- B. Modify line 15 to be the following: tcp\_options = {min = "22", max = "22"}
- C. Modify line 15 to be the following: tcp\_options { min = "22" max = "22" }



D. Replace the curly braces '{ }' in lines 11 and 16 with square braces '[' ]'

Correct Answer: B

---

#### QUESTION 5

You have been asked to investigate a potential security risk on your company's Oracle Cloud Infrastructure (OCI) tenancy. You decide to start by looking through the audit logs for suspicious activity.

How can you retrieve the audit logs using the OCI Command Line Interface (CLI)? (Choose the best answer.)

- A. `oci audit event list --end-time $end-time --compartment-id $compartment-id`
- B. `oci audit event list --start-time $start-time --compartment-id $compartment-id`
- C. `oci audit event list --start-time $start-time --end-time $end-time --compartment-id $compartment-id`
- D. `oci audit event list --start-time $start-time --end-time $end-time --tenancy-id $tenancy-id`

Correct Answer: C

[1Z0-1067-21 PDF Dumps](#)

[1Z0-1067-21 VCE Dumps](#)

[1Z0-1067-21 Study Guide](#)