



1Z0-1067-22^{Q&As}

Oracle Cloud Infrastructure 2022 Cloud Operations Professional

Pass Oracle 1Z0-1067-22 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/1z0-1067-22.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

Your application is using an Object Storage bucket named app-data in the namespace vision, to store both persistent and temporary data. Every week all the temporary data should be deleted to limit the storage consumption.

Currently you need to navigate to the Object Storage page using the web console, select the appropriate bucket to view all the objects and delete the temporary ones.

To simplify the task you have configured the application to save all the temporary data with /temp prefix. You have also decided to use the Command Line Interface (CLI) to perform this operation.

What is the command you should use to speed up the data cleanup? (Choose the best answer.)

- A. `oci os object delete -ns vision -bn app-data --prefix /temp`
- B. `oci os object bulk-delete -ns vision -bn app-data --prefix /temp --force`
- C. `oci objectstorage bulk-delete -ns vision -bn app-data --prefix /temp --force`
- D. `oci os object delete app-data in vision where prefix = /temp`

Correct Answer: B

QUESTION 2

You have the following compartment structure within your company's Oracle Cloud Infrastructure (OCI) tenancy:

COMPARTMENT



You want to create a policy in the root compartment to allow SystemAdmins to manage VCNs only in CompartmentC.

Which policy is correct? (Choose the best answer.)

- A. Allow group SystemAdmins to manage virtual-network-family in compartment CompartmentB:CompartmentC
- B. Allow group SystemAdmins to manage virtual-network-family in compartment Root
- C. Allow group SystemAdmins to manage virtual-network-family in compartment CompartmentA:CompartmentB:CompartmentC



D. Allow group SystemAdmins to manage virtual-network-family in compartment CompartmentC

Correct Answer: D

Reference: <https://docs.oracle.com/en-us/iaas/Content/Identity/Concepts/policies.htm>

QUESTION 3

Your deployment platform within Oracle Cloud Infrastructure (OCI) leverages a compute instance with multiple block volumes attached. There are multiple teams that use the same compute instance and have access to these block volumes. You want to ensure that no one accidentally deletes any of these block volumes. You have started to construct the following IAM policy but need to determine which permissions should be used.

```
allow group DeploymentUsers to manage volume-family where ANY { request.permission != , request.permission != , request.permission != }
```

Which permissions can you use in place of in this policy? (Choose the best answer.)

- A. VOLUME_DELETE, VOLUME_ATTACHMENT_DELETE, VOLUME_BACKUP_DELETE
- B. VOLUME_ERASE, VOLUME_ATTACHMENT_ERASE, VOLUME_BACKUP_ERASE
- C. ERASE_VOLUME, ERASE_VOLUME_ATTACHMENT, ERASE_VOLUME_BACKUP
- D. DELETE_VOLUME, DELETE_VOLUME_ATTACHMENT, DELETE_VOLUME_BACKUP

Correct Answer: A

QUESTION 4

You have recently been asked to take over management of your company's infrastructure provisioning efforts, utilizing Terraform v0.12 to provision and manage infrastructure resources in Oracle Cloud Infrastructure (OCI). For the past few days the development environments have been failing to provision. Terraform returns the following error: You locate the related code block in the Terraform config and find the following:

```
Error: Missing item separator
```

```
on vcn_peer_lab.tf line 15, in resource "oci_core_security_list" "ManagementSecurityList":  
15: tcp_options = [min = "22", max = "22"]
```

Expected a comma to mark the beginning of the next item.

```
(11) ingress_security_rules {  
(12)     protocol = 6  
(13)     source = "0.0.0.0/0"  
(14)  
(15)     tcp_options = [min = "22", max = "22"]  
(16) }
```



Which correction should you make to solve this issue? (Choose the best answer.)

- A. Place a command at the end of line 16
- B. Modify line 15 to be the following: `tcp_options = {min = "22", max = "22"}`
- C. Modify line 15 to be the following: `tcp_options { min = "22" max = "22" }`
- D. Replace the curly braces '{ }' in lines 11 and 16 with square braces '[']'

Correct Answer: B

QUESTION 5

You are using Oracle Cloud Infrastructure (OCI) services across several regions: us-phoenix-1, usashburn-1, uk-london-1 and ap-tokyo-1. You have created a separate administrator group for each region: PHX-Admins, ASH-Admins, LHR-Admins and NRT-Admins, respectively.

You want to restrict admin access to a specific region. E.g., PHX-Admins should be able to manage all resources in the us-phoenix-1 region only and not any other OCI regions.

What IAM policy syntax is required to restrict PHX-Admins to manage OCI resources in the us-phoenix-1 region only? (Choose the best answer.)

- A. Allow group PHX-Admins to manage all-resources in tenancy where `request.region= 'phx'`
- B. Allow group PHX-Admins to manage all-resources in tenancy where `request.permission= 'phx'`
- C. Allow group PHX-Admins to manage all-resources in tenancy where `request.target= 'phx'`
- D. Allow group PHX-Admins to manage all-resources in tenancy where `request.location= 'phx'`

Correct Answer: A

[Latest 1Z0-1067-22 Dumps](#)

[1Z0-1067-22 PDF Dumps](#)

[1Z0-1067-22 Exam Questions](#)