



1Z0-1067-22^{Q&As}

Oracle Cloud Infrastructure 2022 Cloud Operations Professional

Pass Oracle 1Z0-1067-22 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/1z0-1067-22.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

Recently, your e-commerce web application has been receiving significantly more traffic than usual. Users are reporting they often encounter a 503 Service Error when trying to access your site. Sometimes the site is very slow.

You check your instance pool configuration to confirm that the maximum number of instances is configured to allow 20 compute instances. Currently, 14 compute instances have been provisioned by the instance pool. You also confirm that current CPU utilization across all hosts exceeds the scale-out threshold you set in your auto-scaling policy. However, the instance pool is not provisioning any new instances.

What can you check to determine why the application is NOT functioning properly? (Choose the best answer.)

- A. Verify that the new offer feature code did not introduce any performance bugs.
- B. Verify that the database is accessible.
- C. Verify that the compute resource quota has not been exceeded.
- D. Verify that the Quality Assurance team is not currently performing load-testing against production.

Correct Answer: C

QUESTION 2

You have a group of developers who launch multiple VM.Standard2.2 compute instances every day into the compartment Dev. As a result, your OCI tenancy quickly hit the service limit for this shape. Other groups can no longer create new instances using VM.Standard2.2 shape.

Because of this, your company has issued a new mandate that the Dev compartment must include a quota to allow for use of only 20 VM.Standard2.2 shapes per Availability Domain. Your solution should not affect any other compartment in the tenancy.

Which quota statement should be used to implement this new requirement? (Choose the best answer.)

- A. `set compute quota vm-standard2-2-count to 10 in compartment dev where request.region = usphoenix-1`
- B. `set compute quota vm-standard2-2-count to 20 in compartment dev`
- C. `zero compute quotas in tenancy set compute quota vm-standard2-2-count to 20 in compartment dev`
- D. `zero compute quotas in tenancy set compute quota vm-standard2-2-count to 20 in tenancy dev`

Correct Answer: A

QUESTION 3

You have created an Autonomous Data Warehouse (ADW) service in your company's Oracle Cloud Infrastructure



(OCI) tenancy and you now have to load historical data into it. You have already extracted this historical data from multiple data marts and data warehouses. This data is stored in multiple CSV text files and these files are ranging in size from 25 MB to 20 GB.

Which is the most efficient and error tolerant method for loading data into ADW? (Choose the best answer.)

- A. Create Auth token, use it to create an object storage credential by executing `DBMS_CLOUD.CREATE_CREDENTIAL`, using the web console upload the CSV files to an OCI object storage bucket, create the tables in the ADW database and then execute `DBMS_CLOUD.COPY_DATA` for each CSV file to copy the contents into the corresponding ADW database table.
- B. Create the tables in the ADW database and then execute SQL*Loader for each CSV file to load the contents into the corresponding ADW database table.
- C. Create Auth token, use it to create an object storage credential by executing `DBMS_CLOUD.CREATE_CREDENTIAL`, using OCI CLI upload the CSV files to an OCI object storage bucket, create the tables in the ADW database and then execute Data Pump Import for each CSV file to copy the contents into the corresponding ADW database table.
- D. Create Auth token, use it to create an object storage credential by executing `DBMS_CLOUD.CREATE_CREDENTIAL`, using OCI CLI upload the CSV files to an OCI object storage bucket, create the tables in the ADW database and then execute `DBMS_CLOUD.COPY_DATA` for each CSV file to copy the contents into the corresponding ADW database table.

Correct Answer: D

QUESTION 4

One of the compute instances that you have deployed on Oracle Cloud Infrastructure (OCI) is malfunctioning. You have created a console connection to remotely troubleshoot it.

Which two statements about console connections are TRUE? (Choose two.)

- A. It is not possible to use VNC console connections to connect to Bare Metal Instances.
- B. VNC console connection uses SSH port forwarding to create a secure connection from your local system to the VNC server attached to your instance's console.
- C. It is not possible to connect to the serial console to an instance running Microsoft Windows, however VNC console connection can be used.
- D. For security purpose, the console connection will not let you edit system configuration files.
- E. If you do not disconnect from the session, your serial console connection will automatically be terminated after 24 hours.

Correct Answer: BE

QUESTION 5



Your application is using an Object Storage bucket named app-data in the namespace vision, to store both persistent and temporary data. Every week all the temporary data should be deleted to limit the storage consumption.

Currently you need to navigate to the Object Storage page using the web console, select the appropriate bucket to view all the objects and delete the temporary ones.

To simplify the task you have configured the application to save all the temporary data with /temp prefix. You have also decided to use the Command Line Interface (CLI) to perform this operation.

What is the command you should use to speed up the data cleanup? (Choose the best answer.)

- A. `oci os object delete -ns vision -bn app-data --prefix /temp`
- B. `oci os object bulk-delete -ns vision -bn app-data --prefix /temp --force`
- C. `oci objectstorage bulk-delete -ns vision -bn app-data --prefix /temp --force`
- D. `oci os object delete app-data in vision where prefix = /temp`

Correct Answer: B

[Latest 1Z0-1067-22 Dumps](#)

[1Z0-1067-22 PDF Dumps](#)

[1Z0-1067-22 VCE Dumps](#)