



# 1Z0-1067-22<sup>Q&As</sup>

Oracle Cloud Infrastructure 2022 Cloud Operations Professional

## Pass Oracle 1Z0-1067-22 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/1z0-1067-22.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle  
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





### QUESTION 1

You are working as a Cloud Operations Administrator for your company. They have different Oracle Cloud Infrastructure (OCI) tenancies for development and production workloads. Each tenancy has resources in two regions – uk-london-1 and eu-frankfurt-1. You are asked to manage all resources and to automate all the tasks using OCI Command Line Interface (CLI).

Which is the most efficient method to manage multiple environments using OCI CLI? (Choose the best answer.)

- A. Use OCI CLI profiles to create multiple sets of credentials in your config file, and reference the appropriate profile at runtime.
- B. Create environment variables for the sets of credentials that align to each combination of tenancy, region, and environment.
- C. Run `oci setup config` to create new credentials for each environment every time you want to access the environment.
- D. Use different bash terminals for each environment.

Correct Answer: B

---

### QUESTION 2

Which technique does NOT help you get the optimal performance out of the Oracle Cloud Infrastructure (OCI) File Storage service? (Choose the best answer.)

- A. Limit access to the same Availability Domain (AD) as the File Storage service where possible.
- B. Serialize operations to the file system to access consecutive blocks as much as possible.
- C. Right size compute instances from where file system is accessed based on their network capacity.
- D. Increase concurrency by using multiple threads, multiple clients, and multiple mount targets.

Correct Answer: D

Reference: <https://www.oracle.com/a/ocom/docs/cloud/file-storage-performance-guide.pdf> (6)

---

### QUESTION 3

You have created the following JSON file to specify a lifecycle policy for one of your object storage buckets:



```
[
  {
    "name": "Archive LOGS",
    "action": "ARCHIVE",
    "objectNameFilter": {
      "inclusionPrefixes": [
        "LOGS"
      ]
    },
    "timeAmount": 30,
    "timeUnit": "DAYS",
    "isEnabled": true
  },
  {
    "name": "DELETE_LOGS",
    "action": "DELETE",
    "objectNameFilter": {
      "inclusionPrefixes": [
        "LOGS"
      ]
    },
    "timeAmount": 120,
    "timeUnit": "DAYS",
    "isEnabled": true
  }
]
```

How will this policy affect the objects that are stored in the bucket? (Choose the best answer.)

- A. Objects with the prefix "LOGS" will be retained for 120 days and then deleted permanently.
- B. Objects containing the name prefix LOGS will be automatically migrated from standard Storage to Archive storage 30 days after the creation date. The object will be deleted 120 days after creation.
- C. The objects with prefix "LOGS" will be deleted 30 days after creation date.
- D. Objects containing the name prefix LOGS will be automatically migrated from standard Storage to Archive storage 30 days after the creation date. The object will be migrated back to standard Storage 120 days after creation.

Correct Answer: B

---

#### QUESTION 4



You have been asked to investigate a potential security risk on your company's Oracle Cloud Infrastructure (OCI) tenancy. You decide to start by looking through the audit logs for suspicious activity.

How can you retrieve the audit logs using the OCI Command Line Interface (CLI)? (Choose the best answer.)

- A. `oci audit event list --end-time $end-time --compartment-id $compartment-id`
- B. `oci audit event list --start-time $start-time --compartment-id $compartment-id`
- C. `oci audit event list --start-time $start-time --end-time $end-time --compartment-id $compartment-id`
- D. `oci audit event list --start-time $start-time --end-time $end-time --tenancy-id $tenancy-id`

Correct Answer: C

---

### QUESTION 5

You have been asked to review a network design for Oracle Cloud Infrastructure (OCI) by a major client. The client's IT team needs to provision two Virtual Cloud Networks (VCNs) for a major application. The application uses a large number of virtual machine instances. Additionally, in the future, a VCN peering will be required to allow connectivity between the VCNs.

Which of the following are valid IP ranges to consider? (Choose the best answer.)

- A. 10.0.0.0/30 and 192.168.0.0/30
- B. 10.0.0.0/8 and 11.0.0.0/8
- C. 10.0.8.0/21 and 10.0.16.0/22
- D. 10.0.0.0/16 and 10.0.64.0/24

Correct Answer: D

Reference: <https://blogs.oracle.com/developers/setting-up-a-virtual-cloud-network-vcn-in-oracle-cloudinfrastructure>

[1Z0-1067-22 PDF Dumps](#)

[1Z0-1067-22 Study Guide](#)

[1Z0-1067-22 Exam Questions](#)