# 1Z0-1068-20<sup>Q&As</sup>

Oracle CX Commerce 2020 Implementation Essentials

# Pass Oracle 1Z0-1068-20 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

**https://www.geekcert.com/1z0-1068-20.html**

## 100% Passing Guarantee
## 100% Money Back Assurance

Following Questions and Answers are all new published by Oracle
Official Exam Center

⚙ **Instant Download** After Purchase

⚙ **100% Money Back** Guarantee

⚙ **365 Days** Free Update

⚙ **800,000+** Satisfied Customers

**QUESTION 1**

Consider the following code snippet from the config.json file for a custom payment gateway extension\\'s properties:

```
"properties": [
  {
    "id": "paymentMethodTypes",
    "type": "multiSelectOptionType",
    "name": "paymentMethodTypes",
    "required": false,
    "helpTextResourceId": "paymentMethodsHelpText",
    "labelResourceId": "paymentMethodsLabel",
    "defaultValue": "generic",
    "displayAsCheckboxes": true,
    "options": [
      {
        "id": "generic",
        "value": "generic",
        "labelResourceId": "genericLabel"
      },
    ]
  }
]
```

Which two statements describe the paymentMethodsTypes property configuration? (Choose two.)

A. The generic option will appear as a checkbox in the Administration UI

B. The default value is set to generic, which means that option will be selected in the Administration UI

C. Other paymentMethodTypes options defined in the gateway.json file will appear in the Administration UI, even though not explicitly defined in config.json

D. The property is public by default and can be used in a custom widget

Correct Answer: CD

**QUESTION 2**

Which three features are supported in a B2B Storefront implementation? (Choose three.)

A. A displaying products and prices that are specific to the logged in contact\\'s account

B. managing account buyers and addresses on the storefront by contacts with account specified storefront roles

C. simultaneously logging into multiple accounts in order to compare product items and prices

D. requiring an order approval based on a specified price threshold associated with the account

E. sharing a purchase list with a contact from another account

Correct Answer: BCD

## QUESTION 3

When working with the agent REST APIs, the site context is important. What are two ways the site context can be set? (Choose two.)

A. siteId property in the JSON request and response

B. the webhook\'s siteId property setting

C. site request header, such as {"X-CCSite" : "siteA"}

D. query parameter, such as POST /ccagent/v1/orders?siteId=siteA

Correct Answer: AC

## QUESTION 4

Consider the widget template snippet, which uses Knockout\'s containerless control flow syntax based on comment tags:

```
<ul>
    <li>Item #1</li>
    <!--ko if: product -->
        <li>Item #2</li>
    <!-- /ko -->
</ul>
```

Under what condition will Item #2 be displayed?

A. Item #2 will never be displayed

B. if the Product view model is available on the page

C. Item #2 will always be displayed

D. If the shopper has a product in his/her cart

Correct Answer: D

Reference: https://knockoutjs.com/documentation/if-binding.html

## QUESTION 5

You need to display a message to a logged in shopper about a relevant promotion, based on the number of products in

the cart and the total value of the items. You develop a custom widget that uses the User, Cart and Site view models as displayed in this example Javascipt:

```javascript
function (ko) {
    ...
    widget.showCartMsg = ko.computed(function() {
        return (widget.user().loggedIn() &&
               widget.cart().numberOfItems() > 0 &&
               widget.cart().subTotal() < minSpend);
    });
    widget.cartMsg = ko.computed(function() {
        return widget.translate('cartMsg',
        {currencySymbol: widget.site().currency.symbol,
        cartTotal: widget.cart().subTotal(), minSpend: minSpend,
        coupon: coupon});
    });
    ...
}
```

Under what condition is the showCartMsg() function true?

A. Only when there is at least one item in the cart and the cat subtotal is less than the value of minSpend

B. When a user is logged in and there is at least one item in the cart and the cart subtotal is less than the value of minSpend

C. If either a user is logged in or there is at least one item in the cart or the cart subtotal is less than the value of minSpend

D. As long as the user is logged in; the status of the cart does not matter

Correct Answer: C

Latest 1Z0-1068-20 Dumps          1Z0-1068-20 Study Guide          1Z0-1068-20 Exam
                                                                   Questions

To Read the Whole Q&As, please purchase the Complete Version from Our website.

# Try our product !

100% Guaranteed Success
100% Money Back Guarantee
365 Days Free Update
Instant Download After Purchase
24x7 Customer Support
Average 99.9% Success Rate
More than 800,000 Satisfied Customers Worldwide
Multi-Platform capabilities - Windows, Mac, Android, iPhone, iPod, iPad, Kindle

We provide exam PDF and VCE of Cisco, Microsoft, IBM, CompTIA, Oracle and other IT Certifications. You can view Vendor list of All Certification Exams offered:

https://www.geekcert.com/allproducts

## Need Help

Please provide as much detail as possible so we can best assist you.
To update a previously submitted ticket: