



1Z0-1072-21^{Q&As}

Oracle Cloud Infrastructure 2021 Architect Associate

Pass Oracle 1Z0-1072-21 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/1z0-1072-21.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

Your customer is using an Oracle Cloud Infrastructure (OCI) compartment named Production that hosts several resources such as compute instances, DB Systems and File Systems. Each resource in the Production compartment is tagged. The customer's security team wants to restrict access to DB Systems to only the authorized group of DBAs.

Which OCI Tagging capability can be used to meet this requirement?

- A. Tags Defaults with predefined values
- B. Tag Defaults
- C. Cost-Tracking Tags
- D. Tag-based Access Control

Correct Answer: D

Reference:

<https://docs.cloud.oracle.com/en-us/iaas/Content/Tagging/Tasks/managingaccesswithtags.htm#about>

QUESTION 2

A customer has established an Oracle Cloud Infrastructure (OCI) FastConnect connection to OCI. The virtual circuit is up and routes are being advertised from the customer's end, however the customer is unable to ping from compute instances inside the virtual cloud network (VCN) to servers residing in its on-premises data center. Which two options on OCI would remedy this situation? (Choose two.)

- A. Modify the route table associated with the VCN subnet in which the instance resides. Add a route to the customer's on-premises network via the Dynamic Routing Gateway (DRG).
- B. Modify the security list associated with the VCN subnet in which the instance resides. Add a stateful egress rule to allow ICMP traffic to the customer's on-premises network.
- C. Modify the security list associated with the VCN subnet in which the instance resides. Add a stateful ingress rule to allow ICMP traffic from anywhere.
- D. Modify the default VCN route table to add a route back to the customer's on-premises network via the DRG.

Correct Answer: AB

QUESTION 3

Which two methods are supported for migrating your on-premises Oracle database to an Oracle Autonomous Transaction Processing (ATP) database in Oracle Cloud Infrastructure? (Choose two.)

- A. Load text files into ATP using SQL Developer.
- B. Use RMAN duplicate.



- C. Use Oracle Data Pump.
- D. Transfer the physical database files and re-create the database.
- E. Use database backup and restore.

Correct Answer: CD

Reference: <https://docs.oracle.com/en/solutions/migrate-to-atp/index.html#GUID-28E5A683-6DC6-4A07-BB1C55F020D4C1CD>

QUESTION 4

Which two are NOT an image source when launching a new compute instance? (Choose two.)

- A. boot volume
- B. custom image
- C. Object Storage
- D. bare metal instance

Correct Answer: CD

QUESTION 5

You have created a new compartment called Production to host some production apps. You have also created users in your tenancy and added them to a Group called "production group". Your users are still unable to access the Production compartment. How can you resolve this situation?

- A. Every compartment you create comes with a predefined set of policies, so no further action is needed
- B. Your users get automatic access to all compartments, so no further action is needed
- C. Write an IAM Policy for each specific user granting them access to the production compartment
- D. Write an IAM Policy for "production_group" granting it access to the production compartment

Correct Answer: D

When creating a compartment, you must provide a name for it (maximum 100 characters, including letters, numbers, periods, hyphens, and underscores) that is unique within its parent compartment. You must also provide a description, which is a non-unique, changeable description for the compartment, from 1 through 400 characters. After creating a compartment, you need to write at least one policy for it, otherwise no one can access it (except administrators or users who have permissions set at the tenancy level). When creating a compartment inside another compartment, the compartment inherits access permissions from compartments higher up its hierarchy. When you create an access policy, you need to specify which compartment to attach it to. This controls who can later modify or delete the policy. Depending on how you've designed your compartment hierarchy, you might attach it to the tenancy, a parent, or to the specific compartment itself.



VCE & PDF

GeekCert.com

<https://www.geekcert.com/1z0-1072-21.html>

2024 Latest geekcert 1Z0-1072-21 PDF and VCE dumps Download

[1Z0-1072-21 Practice Test](#)

[1Z0-1072-21 Exam
Questions](#)

[1Z0-1072-21 Braindumps](#)