



# 1Z0-1072-21<sup>Q&As</sup>

Oracle Cloud Infrastructure 2021 Architect Associate

**Pass Oracle 1Z0-1072-21 Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/1z0-1072-21.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





### QUESTION 1

A financial firm is designing an application architecture for its online trading platform that must have high availability and fault tolerance. Their solutions architect configured the application to use an Oracle Cloud Infrastructure Object Storage bucket located in the US West (us-phoenix-1) region to store large amounts of financial data. The stored financial data in the bucket must not be affected even if there is an outage in one of the Availability Domains or a complete region. What should the architect do to avoid any costly

- A. Create a new Object Storage bucket in another region and configure lifecycle policy to move data every 5 days.
- B. Create a lifecycle policy to regularly send data from Standard to Archive storage.
- C. Copy the Object Storage bucket to a block volume.
- D. Create a replication policy to send data to a different bucket in another OCI region.

Correct Answer: A

---

### QUESTION 2

Which two are true for achieving High Availability on Oracle Cloud Infrastructure? (Choose two.)

- A. Store your database across multiple regions so that half of the data resides in one region and the other half resides in another region.
- B. Attach your block volume from Availability Domain 1 to a compute instance in Availability Domain 2 (and vice versa) so that they are highly available.
- C. Configure your database to have Data Guard in another Availability Domain in Sync mode within a region.
- D. Store your database files on Object Storage so that they are available in all Availability Domains in all regions.
- E. Distribute your application servers across all Availability Domains within a region.

Correct Answer: CE

---

### QUESTION 3

You are in the process of setting up a highly available student registration website on Oracle Cloud Infrastructure (OCI). You use a load balancer and a database service on OCI. You launch two compute instances each in a different subnet and add them to the back end set of a public load balancer. The load balancer is configured correctly and working. You then deploy the student registration application on these two compute instances. The application can communicate with the database service. However, when you type the URL of this student registration application in your browser, no web page appears. What could be the cause?

- A. The security lists of the subnets on which the two instances are located do not have "allow" rules for port 80 and 443.
- B. The load balancer performed a health check on the application and found that compute instances were not in a



healthy state and terminated the instances.

C. The client requested https access to the application and the load balancer service does not support end-to-end SSL from the client to the listener to the back-end set.

D. The Dynamic Routing Gateway is preventing the client traffic from your data center network from reaching the public IP of the load balancer.

Correct Answer: A

---

#### QUESTION 4

Which two statements about file storage service (FSS) are accurate? (Choose two.)

A. FSS leverages UNIX user group and permission checking for file access security

B. Encryption of file system in FSS is optional

C. Identity and Access Management (IAM) controls which file systems are mountable by which instances

D. Security lists can be used as a virtual firewall to prevent an instance from mounting an FSS mount target within the same subnet

E. Data in transit to an FSS mount target is encrypted

Correct Answer: AE

All data is encrypted at rest, and In-transit encryption provides a way to secure your data between instances and mounted file systems using TLS v. 1.2 (Transport Layer Security) encryption. File Storage service supports the AUTH\_UNIX style of authentication and permission checking for remote NFS client requests.

---

#### QUESTION 5

Which two statements are true about data guard service on DB Systems in Oracle Cloud Infrastructure (OCI)?

A. Data guard implementation requires two DB Systems, one running the primary database on a virtual machine and the standby database running on bare metal.

B. Data guard implementation requires two DB Systems, one containing the primary database and one containing the standby database.

C. Data guard configuration on the OCI is limited to a virtual machine only.

D. Both DB Systems must use the same VCN, and port 1521 must be open.

Correct Answer: BD