



1Z0-1076-20^{Q&As}

Oracle Cloud Platform Systems Management 2020 Specialist

Pass Oracle 1Z0-1076-20 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/1z0-1076-20.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

Which three are functional areas of Oracle Configuration and Compliance? (Choose three.)

- A. Execution and scoring of custom scripts or processes
- B. Results consumption and scoring of automated industry-standard benchmarks
- C. Proactive monitoring of issues, troubleshooting and resolving them before they impact end user
- D. Rapid detection, investigation and remediation of the broadcast range of security threats
- E. Execution of REST based cloud rules against cloud provider endpoints

Correct Answer: ABE

Reference: <https://docs.oracle.com/en/cloud/paas/management-cloud/comcs/getting-startedconfigurationand-compliance.html#GUID-9EFDEA9D-111B-474D-B4C4-7007F6822E59>

QUESTION 2

An Oracle IT Analytics customer has configured the service to source and analyze their Automatic Workload Repository (AWR) data, but no data is found. What should they check?

- A. that they've licensed the Oracle AWR Pack and that STATISTICS_LEVEL is set to TYPICAL or ALL enabling the database to populate statistics
- B. that they've licensed the Oracle Performance Pack and that STATISTICS_LEVEL is set to TYPICAL or ALL enabling the database to populate statistics
- C. that they've licensed the Oracle Tuning Pack and that STATISTICS_LEVEL is set to TYPICAL or ALL enabling the database to populate statistics
- D. that they've licensed the Oracle Diagnostics Pack and that STATISTICS_LEVEL is set to TYPICAL or ALL enabling the database to populate statistics

Correct Answer: B

QUESTION 3

You find that a customer has logs outside of the default destination defined by the built-in log source definition. How should they edit a built-in log source?

- A. Highlight the built-in log source and use Create Like to edit.
- B. A user cannot edit built-in log sources.
- C. Delete the built-in log source and deploy a new agent.
- D. Use the Edit option under configuration menu.



Correct Answer: D

QUESTION 4

At what point during an Application Performance Monitoring deployment should you configure the proxy communication for the APM agent?

- A. while downloading the mater install kit
- B. in the startup scripts for your application server
- C. when running AgentInstall.sh to provision the APM agent
- D. before running the install; set up the https_proxy environment variable

Correct Answer: D

Reference: <https://docs.oracle.com/en/cloud/paas/management-cloud/dmapm/installing-andconfiguringoracle-application-performance-monitoring.pdf> (p.65)

QUESTION 5

Which protocol is used to transfer data from an Oracle Management Cloud Gateway to the Oracle Management Cloud?

- A. SFTP B. HTTPS
- C. SQL*NET
- D. Oracle's proprietary TCP-based protocol
- E. T3S

Correct Answer: B

Reference: <https://docs.oracle.com/en/cloud/paas/management-cloud/emcad/deploying-and-managingoraclemanagement-cloud-agents.pdf>

[Latest 1Z0-1076-20 Dumps](#)

[1Z0-1076-20 Practice Test](#)

[1Z0-1076-20 Braindumps](#)