



1Z0-1093-22^{Q&As}

Oracle Cloud Database Services 2022 Professional

Pass Oracle 1Z0-1093-22 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/1z0-1093-22.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

Which TWO statements are true when deciding which Oracle Cloud Infrastructure (OCI) region to register an Exadata Cloud@Customer infrastructure in? (Choose all correct answers)

- A. Exadata Cloud@Customer is hosted in a customer data center so the Exadata infrastructure is not registered in an OCI region.
- B. Consider any business policies or regulations that preclude the use of a particular region.
- C. Consider the physical proximity of the region you register the infrastructure in to your data center.
- D. The Exadata Cloud@Customerregion can be changed after the infrastructure is created.
- E. Consider which availability domain (within the region) to create the Exadata Cloud@Customer infrastructure in.

Correct Answer: AB

QUESTION 2

When configuringconnectivity for hosts in the VCN, security lists contain defaults for implementing security rules. Which TWO additional rules are needed for database systems? (Choose all correct answers)

- A. allows SQL*NET traffic from within the VCN
- B. allows ONS and FANtraffic from within the VCN
- C. allows SSH traffic from anywhere
- D. allows Path MTU Discovery fragmentation messages

Correct Answer: CD

QUESTION 3

What THREE steps must you perform to connect to a MySQL database in the database system by usingSSH and MySQL Shell?

- A. Add an ingress rule for port 20.
- B. Instantiate MySQL Shell on the MySQL database system instance.
- C. Connect to the MySQL Database Service instance.
- D. SSH into the compute instance from your local machine.
- E. Start MySQL Shell onthe compute instance.

Correct Answer: BCD

**QUESTION 4**

How many DB systems must you provision before you can enable Oracle Data Guard for a virtual machine DB system database?

- A. It depends on how many standby databases you want for your primary database in the Oracle Data Guard configuration in Oracle Cloud Infrastructure.
- B. Three, first for the primary database, second for the standby database, and a third for the staging database in the Oracle Data Guard configuration.
- C. Two for both the primary and standby database, because a DB system with the database that you want to use as the standby must already exist before you enable Oracle Data Guard.
- D. One with the primary database, because a new DB system with the standby database is created and associated with the primary database when you enable Oracle Data Guard.

Correct Answer: D

QUESTION 5

When you created your development database on Exadata Cloud@Customer, you selected "None" for backup location during provisioning. You now need to enable automatic backups on the development database with a retention period of 45 days. Which action should you perform?

- A. No action can be taken, because a new backup location cannot be set after creation.
- B. Change the database backup location to local storage backups and set retention to 45 days.
- C. Change the database backup location to an NFS backup location with a 45-day retention period set.
- D. Change the database backup location to Object Storage with the default retention period set.

Correct Answer: A

[1Z0-1093-22 PDF Dumps](#)

[1Z0-1093-22 VCE Dumps](#)

[1Z0-1093-22 Study Guide](#)