

1Z0-1094-22^{Q&As}

Oracle Cloud Database Migration and Integration 2022 Professional

Pass Oracle 1Z0-1094-22 Exam with 100% Guarantee

Free Download Real Questions & Answers PDF and VCE file from:

https://www.geekcert.com/1z0-1094-22.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by Oracle
Official Exam Center

- Instant Download After Purchase
- 100% Money Back Guarantee
- 365 Days Free Update
- 800,000+ Satisfied Customers



https://www.geekcert.com/1z0-1094-22.html

2024 Latest geekcert 1Z0-1094-22 PDF and VCE dumps Download

QUESTION 1

Which four Oracle Database CloudServices are supported as a target database using Oracle Zero Downtime Migration?

(Choose all correct answers)

- A. Oracle Database Cloud Service
- B. oracle NOSQL Database Cloud Service
- C. Autonomous Database
- D. Oracle MySQL Database Cloud Service
- E. ExadataCloud at Customer
- F. Exadata Cloud Service

Correct Answer: ACEF

QUESTION 2

Which autonomous database types are available on Oracle Cloud? (Choose three.)

- A. Autonomous Relation Database System
- B. Autonomous Data Warehouse
- C. Autonomous Streams
- D. Autonomous Transaction Processing
- E. Autonomous JSON Database

Correct Answer: BDE

QUESTION 3

You have a requirement to join data from an Oracle database table and a flat file and load into target DB2 table, using Oracle Data Integrator (ODI). Which statement is correct about this?

- A. Heterogeneous sources and targets are possible in a single mapping only if there is no incremental data load.
- B. Flat file data has to have a header row in order to join with Oracle database table ina single mapping
- C. It is not possible to join data from different source connection types in a Single mapping
- D. It is possible to mix heterogeneous source connection type and load into any supported target connection type in a single mapping.



https://www.geekcert.com/1z0-1094-22.html

2024 Latest geekcert 1Z0-1094-22 PDF and VCE dumps Download

E. It is possible to join data from different source connection types in mapping, but the result must be loaded to Oracle.

Correct Answer: D

QUESTION 4

Which port number do all the OCI GoldenGate Microservices environments use for port forwarding through NGINX?

A. 1521

B. 22

C. 1680

D. 443

Correct Answer: D

QUESTION 5

You are trying to load a denormalized target table C and the source attributes come from table A and Table B inOracle Data Integrator (ODI). Which statement is true?

- A. A mapping can have only one source and one target. You need to create 2 mappings to load target C.
- B. You can join table A and table B, as required by the data model and load target C in a Single mapping
- C. You are required to do inner join between table A and table B in order to load target C.
- D. You are required to do outer join between table A and table B in order to load target C.

Correct Answer: B

1Z0-1094-22 PDF Dumps

1Z0-1094-22 VCE Dumps

1Z0-1094-22 Exam Questions