



1Z0-133^{Q&As}

Oracle WebLogic Server 12c: Administration I

Pass Oracle 1Z0-133 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/1z0-133.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

Consider an application that comprises both web and EJB components.

What are two benefits of implementing a multitier cluster architecture over a single-tier(basic) cluster architecture? (Chose two.)

- A. Dynamic clusters are only supported for the multitier architecture
- B. Remote EJB access is blocked
- C. Each cluster can be scaled independently
- D. Future web clusters can share the same EJB tier
- E. All servers can be managed (started/stopped) together

Correct Answer: DE

QUESTION 2

Identify two advantages of using a Single Client Access Name (SCAN) when configuring a GridLink data source. (Choose two.)

- A. The Fast Connection Failover (FCF) pattern, which allows rapid failure detection, is enabled
- B. The more sophisticated runtime connection load balancing (RLCB) is used; without SCAN, load balancing reverts to a simple round-robin scheme
- C. SCAN is required for the GridLink data source to use an XA driver
- D. The database URL is shorter because it contains one SCAN alias and port as opposed to a host and port foe each RAC node
- E. The data source configuration does not need to be updated when new nodes are added to the RAC cluster

Correct Answer: AE

Reference: https://docs.oracle.com/cd/E24329_01/web.1211/e24367/gridlink_datasources.htm#JDBCA379

QUESTION 3

An administrate in your organization says you do not need to back up the domain files on a machine which only managed servers run.

Select the best explanation for this statement.

- A. This Is true because the domain files can be re-created with the pack and unpack utilities.
- B. This is true (with an exception) because the domain files can be re-created with the pack and unpack utilities. The



exception is if your security realm uses the embedded ldap system. Which is not included in the JAR file created by the pack utility.

C. This is true (with an exception) because the domain files can be re-created with the pack and unpack utilities. The exception is for applications that are deployed to the managed server. Those files are not included in the JAR file created by the pack utility. If you back those up manually, then pack and unpack can be used.

D. This is not true. You need to back up the domain files on a machine on which only managed servers run by using operating system commands (such as tar or zip).

Correct Answer: A

QUESTION 4

Which three domain requirements can you implement with the Configuration Wizard? (Choose three.)

- A. Create a Node Manager and enroll it with the domain
- B. Create a domain using a custom template
- C. Assign virtual IP addresses to all servers
- D. Distribute domain files across multiple machines
- E. Create a dynamic cluster of five servers

Correct Answer: ABD

QUESTION 5

An application fails. The exception indicates that the JDEM data source cannot be found. Identify two possible steps that you can perform to verify the data source's availability.

- A. Launch the JDBC Diagnostics utility.
- B. Verify the Dependencies attribute of the data source.
- C. View the target server's JNDI tree in the console.
- D. Verify that the application and data source have the same target.

Correct Answer: CD

[1Z0-133 PDF Dumps](#)

[1Z0-133 VCE Dumps](#)

[1Z0-133 Braindumps](#)