

1Z0-133^{Q&As}

Oracle WebLogic Server 12c: Administration I

Pass Oracle 1Z0-133 Exam with 100% Guarantee

Free Download Real Questions & Answers PDF and VCE file from:

https://www.geekcert.com/1z0-133.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by Oracle
Official Exam Center

- Instant Download After Purchase
- 100% Money Back Guarantee
- 365 Days Free Update
- 800,000+ Satisfied Customers



VCE & PDF GeekCert.com

https://www.geekcert.com/1z0-133.html 2024 Latest geekcert 1Z0-133 PDF and VCE dumps Download

QUESTION 1

You create a new dynamic cluster with the following parameters: Number of servers: 2 Listen port: 8101 Enable calculated listen ports: true

To which two port numbers will the resulting two dynamic servers bind? (Choose two.)

A. 8101

B. 8102

C. 8103

D. 8100

E. 8104

Correct Answer: AD

QUESTION 2

Which three Administration Console tasks require you to obtain the configuration lock of a production mode domain? (Choose three.)

- A. Stop an application deployment
- B. Create a new JDBC data source
- C. Change the servers listen port
- D. Suspend a running server
- E. Add a server to an existing cluster
- F. Create a new administrative user

Correct Answer: DEF

QUESTION 3

You zipped up the domain\\'s config directory on the administration server\\'s machine before making some major configuration changes. You wait to activate after all the changes have been saved. After your changes are in, hinges start failing badly. You want to go back to the old configuration.

What is the best course of action?

- A. Undo the changes you made manually by using the administration console or WLST.
- B. 1. Stop the administration server.

VCE & PDF

https://www.geekcert.com/1z0-133.html 2024 Latest geekcert 1Z0-133 PDF and VCE dumps Download

GeekCert.com

Replace the config directory on the administration server\\'s machine with your backup.
3.
Restart the administration server.
4.
Stop the managed servers on each machine.
5.
Replace the config directory on the machine with your backup.
6.
Restart the managed servers on the machine.
C. 1. Stop the administration server.
2.
Extract only the config.xm1 file from the zip file.
3.
Overwrite config.xm1 on the administration server\\'s machine with this extracted file.
4.
Restart the administration server.
D. 1. Stop the administration server.
2.
Replace the config directory on the administration server\\'s machine with your backup.

3.

Restart the administration server.

Correct Answer: D

QUESTION 4

A domain defines four machines: host01, host02, host11, and host12. It also defines a dynamic cluster whose Machine Name Match Expression is set to the value "host1*".

Which of the machines will be used to host servers in this dynamic cluster?



https://www.geekcert.com/1z0-133.html

2024 Latest geekcert 1Z0-133 PDF and VCE dumps Download

- A. host01 and host11 only
- B. host11 and host12 only
- C. host11 only
- D. all machines
- E. the default machine of the domain
- F. host01 only

Correct Answer: B

Reference: https://docs.oracle.com/en/middleware/fusion-middleware/12.2.1.3/ashia/using-dynamicclusters.html#GUID-7EE8875B-A8E8-40BE-928B-D0456B29A09F

QUESTION 5

Consider a domain that includes a dynamic cluster of three servers. Your network administrator requires all servers to bind the specific domain name mycompany.com.

Which Administration console action implements this requirement?

- A. Use a \$(macro)in the server templates listen address.
- B. Assign each dynamic server a separate machine.
- C. Create multiple server templates for the cluster.
- D. Update the cluster\\'s listen address prefix.

Correct Answer: A

1Z0-133 Practice Test

1Z0-133 Exam Questions

1Z0-133 Braindumps