



1Z0-149^{Q&As}

Oracle Database 19c: Program with PL/SQL

Pass Oracle 1Z0-149 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/1z0-149.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

Which two are true about using the ACCESSIBLE BY clause? (Choose two.)

- A. It can be used in the declaration of object types.
- B. It must be specified in the heading of a package specification.
- C. The check is enforced by this clause for direct access and access through dynamic SQL.
- D. It can be used for individual procedures and functions declared in a package specification.
- E. It must be specified in the heading of a package body.

Correct Answer: AD

<https://docs.oracle.com/database/122/LNPLS/ACCESSIBLE-BY-clause.htm>

QUESTION 2

Which three are true about DDL triggers? (Choose three.)

- A. They cannot include the WHEN clause.
- B. They must be created in an enabled state.
- C. They can be fired when a table is truncated.
- D. They fire only when a DDL statement is executed by the owner of the trigger.
- E. They can be fired either before or after a DDL statement executes.
- F. They can be fired when a privilege is granted to a user.
- G. They must be created in a disabled state.

Correct Answer: CDE

QUESTION 3

Examine this DECLARE section:



```
1 DECLARE
2  salary$ VARCHAR2(10) NOT NULL := '9000$';
3  v_num1, v_num2 NUMBER;
4  VARCHAR2 (20) v_job;
5  avg INTEGER;
6  total SIMPLE_INTEGER;
7  #sno NUMBER;
```

Which two lines are valid? (Choose two.)

- A. line 5
- B. line 6
- C. line 7
- D. line 4 E. line 3
- F. line 2

Correct Answer: AF

QUESTION 4

Which two statements are true about the RETURNING clause when used with DML? (Choose two.)

- A. When using the RETURNING INTO clause, the data returned can be only single column or expression.
- B. The RETURNING INTO clause and bulk binds may not be used together.
- C. The RETURNING INTO clause can be used with DML that affects multiple rows, if the BULK COLLECT clause is used.
- D. The RETURNING INTO clause returns column values for rows affected by DML statements.
- E. The RETURNING clause can be used for remote or parallel deletes.

Correct Answer: CE

QUESTION 5

Examine these statements from a block of code: Which two are true? (Choose two.)



```
CURSOR c1 IS  
  SELECT * FROM products  
  FOR UPDATE OF price;  
  
UPDATE products  
  SET price = price * 1.05  
  WHERE CURRENT OF c1;
```

- A. The lock acquired when executing the OPEN c1 command will be released only after a COMMIT or ROLLBACK statement is issued.
- B. Only the PRICE column can be updated in the PRODUCTS table.
- C. The FOR UPDATE OF clause can be used only if the WHERE CURRENT OF clause is used in the executable part of the block.
- D. The WHERE CURRENT OF clause can be used only if the FOR UPDATE clause is used in the cursor definition.
- E. An OPEN c1 command will acquire a lock only on the PRICE column in the PRODUCTS table.

Correct Answer: AD

[1Z0-149 PDF Dumps](#)

[1Z0-149 Practice Test](#)

[1Z0-149 Braindumps](#)