

# 1Z0-149<sup>Q&As</sup>

Oracle Database 19c: Program with PL/SQL

### Pass Oracle 1Z0-149 Exam with 100% Guarantee

Free Download Real Questions & Answers PDF and VCE file from:

https://www.geekcert.com/1z0-149.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by Oracle
Official Exam Center

- Instant Download After Purchase
- 100% Money Back Guarantee
- 365 Days Free Update
- 800,000+ Satisfied Customers



# https://www.geekcert.com/1z0-149.html 2024 Latest geekcert 1Z0-149 PDF and VCE dumps Download

#### **QUESTION 1**

Sequence S and table PRODUCTS exist in your schema.

Examine the table description:

DESC products Name	Null?			
PDT_ID PDT_NAME PRICE		NUMBER(3) VARCHAR2(25) NUMBER(8,2)		
Now, examine this block of code:				
<pre>1 CREATE OR REPLACE PROCEDURE report(UPPER(pdt_na 2    current_price NUMBER := 155.55; 3    new_price NUMBER(10,2) := ROUND(current_price 4    compare_value VARCHAR2(20); 5    BEGIN 6    compare_value := DECODE( new_price, 1001, 7    DBMS_OUTPUT.PUT_LINE(s.NEXTVAL    ' '    UPP 8    DBMS_OUTPUT.PUT_LINE(s.CURRVAL+1    ' '    UPP 9    END; //</pre>	+ (current_ 'Above 1000 PER('New Pri	price * .05));  3', 'Below 1000'); ice')   ' '    TO_CHAR(new_price));		
Which two lines each result in a compilation error? (Choose two.)				
A. line 1				
B. line 6				
C. line 8				
D. line 2				
E. line 3				
F. line 7				
Correct Answer: AB				

#### **QUESTION 2**

Examine the SH.PRODUCTS table:

#### https://www.geekcert.com/1z0-149.html

2024 Latest geekcert 1Z0-149 PDF and VCE dumps Download

```
DESC products
                                             Null?
   Name
                                                        Type
   PDT ID
                                             NOT NULL
                                                        NUMBER
  PDT NAME
                                                        VARCHAR2(10)
  PRICE
                                                        NUMBER
A row exists in SH.PRODUCTS with PDT_ID = 1. Now, examine this code and output executed by SH:
 CREATE OR REPLACE PROCEDURE price_divide (p_id NUMBER, p_val NUMBER)IS
    v price NUMBER;
 BEGIN
     SELECT price INTO v price FROM products WHERE pdt id = p id;
     BEGIN
       DBMS_OUTPUT.PUT_LINE(v_price/p_val);
     EXCEPTION
       WHEN ZERO DIVIDE THEN
          DBMS OUTPUT.PUT LINE('Error in inner block');
     END;
 EXCEPTION
    WHEN ZERO DIVIDE THEN
      DBMS OUTPUT.PUT('Error in outer block');
 END;
 Procedure created.
Now, examine this block of code:
  BEGIN
     price divide(1,0);
  EXCEPTION WHEN ZERO DIVIDE THEN
    DBMS_OUTPUT.PUT('Error in calling block');
  END;
Which error message(s) does it display on execution by user SH?
A. Error in inner block
B. Error in inner block Error in outer block
C. Error in inner block Error in calling block
D. Error in inner block Error in outer block Error in calling block
```

Correct Answer: A

#### **QUESTION 3**

Examine the structure of the ora1.depts table:

Column Name	Null Type	
DEPARTMENT_ID	NOT NULL NUMBER(4)	
DEPARTMENT_NAME	NOT NULL VARCHAR2(30	1)
MANAGER_ID	NUMBER(6)	
LOCATION_ID	NUMBER(4)	

Now, examine these statements issued by user ora1 which execute successfully:

Create or replace view dep\_vu as select \* from depts;

Alter table depts add dep\_email varchar2(20);

Finally, examine this block of code executed by user ora1:

### set serveroutput on

Which is true?



#### https://www.geekcert.com/1z0-149.html

2024 Latest geekcert 1Z0-149 PDF and VCE dumps Download

- A. DEP\_VU must be manually recompiled to successfully run this code.
- B. It will run successfully producing a result of 4.
- C. It will result in an error because table depts has been altered.
- D. It will run successfully producing a result of 5.

Correct Answer: B

#### **QUESTION 4**

Which two are true about lexical units? (Choose two.)

- A. Character literals are case-sensitive.
- B. Spaces can be embedded in delimiters.
- C. Identifiers include labels.
- D. A character literal with zero characters has the BOOLEAN value NULL.
- E. All user-defined identifiers must start with an alphabet.

Correct Answer: AE

#### **QUESTION 5**

Which two are true about named notations in a PL/SQL subprogram? (Choose two.)

- A. The actual parameters must be specified in the same order as the formal parameters are declared.
- B. Specifying actual parameters in the wrong order results in the subprogram terminating with an exception.
- C. Only trailing optional parameters can be omitted in the invocation call.
- D. The subprogram invocations must be changed when the formal parameter list acquires new required parameters.
- E. Any optional parameters can be omitted in the invocation call.

Correct Answer: AE

1Z0-149 Practice Test

1Z0-149 Study Guide

1Z0-149 Exam Questions