



1Z0-151^{Q&As}

Oracle Fusion Middleware 11g: Build Applications with Oracle Forms

Pass Oracle 1Z0-151 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/1z0-151.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle
Official Exam Center


- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

Which symbol when used in an object's Property Palette, indicates an inherited property that has been changed?



A. Option A

B. Option B


C. Option C

D. Option D

Correct Answer: C

QUESTION 2

View the Exhibit.



You have placed the following code in a Post insert trigger on the Orders block:

```
SELECT orders_seq.NEXTVAL INTO :orders.order_id FROM SYS.dual;
```

You have also set Item properties for the Order_Id Item in the form so that users cannot directly enter an Order ID.

As the SUMMIT user, you run the form to test it. You are able to insert a record in the block, but when you click Save, you have a database error as shown in the Exhibit.

What is the probable cause of this error?

- A. The code should be in Pre_insert trigger instead
- B. The code should be in a database trigger instead
- C. You should change the code to select the sequence number from SUMMIT.dual instead.
- D. You should create the sequence in the database, because the runtime error is an indication that it does not exist.
- E. You should assign a temporary value to the Order_Id item before saving the form.

Correct Answer: E

QUESTION 3

You are implementing a JavaBean in a form, the bean has no visible component on the form when invoked, the bean displays an input text where users enter a zip code, the bean has a single method that returns a short weather forecast for that zip code as a character value.



How can you retrieve that value so that you can display it to the user?

- A. Use FBEAN.ENABLE_EVENT to register a listener for the bean event. Obtain the value of SYSTEM.CUSTOM_ITEM_EVENT in a When-Custom item Event trigger, and then use that value as an argument to the MESSAGE built in.
- B. Use FBEAN.REGISTER_BEAN as an argument to the MESSAGE built in to invoke the bean's method and return the value as a message displayed to the user.
- C. Use FBEAN.REGISTER_BEAN to register the bean, so that when the user enters a zip code into the bean's input text, the value is automatically displayed in the bean area item.
- D. Use FBEAN.ENABLE_EVENT to register a listener for the bean event. Obtain the value of SYSTEM.CUSTOM_EVENT_PARAMETER in a When-Custom-item-Event trigger, and then use that value as an argument to the MESSAGE built-in.

Correct Answer: D

When a user interacts with a JavaBean at run time, it usually causes an event to occur. You can use FBEAN.ENABLE_EVENT to register a listener for the event, so that when the event occurs Forms will fire the When-Custom-Item-Event trigger. In this trigger, you can code a response to the event. The :SYSTEM.CUSTOM_ITEM_EVENT and :SYSTEM.CUSTOM_EVENT_PARAMETERS variables contain the name of the event and information the bean is sending to the form.

QUESTION 4

You have installed WebLogic and Forms with a default configuration, which has been tested and determined to be correct.

After creating a basic form in the Forms Builder, you click Run Form to test it. Forms Builder displays an error dialog box with the following message:

FRM-10142: The HTTP Listener is not running on at port 9001. Please start the listener or check your runtime preferences.

What is one action that you can take to resolve this error?

- A. Start the Web Logic Administration server.
- B. Start the WLS_FORMS managed server.
- C. Change the serverURL parameter in formsweb.cfg
- D. Start the Oracle HTTP server.
- E. Start WebCache.

Correct Answer: B

The WLS managed server WLS_FORMS must be started.

QUESTION 5



A clerk is using the Human Resources form, which displays a department and its associated employees on the same canvas. Only two items in the form are enabled.

Possible navigation units that can occur during navigation of this form are:

1.

Outside the form

2.

The Human Resources form

3.

The Departments block

4.

The Employees block

5.

The current Departments record

6.

The current Employees record

7.

The Department_Id item

8.

The Employee_Id item

With the cursor in : Departments.Department_Id, the clerk clicks the :Employees.Employee_Id item. What is the sequence of navigational unit movement that occurs?

A. 1, 2, 3, 4, 5, 6, 7, and 8

B. 7, 5, 3, 2, 4, 6, and 8

C. 7, 5, 3, 2, 4, 6, and 8 only

D. 7, 5, 3, 4, 6, and 8 only

E. 7 and 8 only

Correct Answer: D