



1Z0-160^{Q&As}

Oracle Database Cloud Service

Pass Oracle 1Z0-160 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/1z0-160.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

You did not configure Backup and Recovery during instance creation. You therefore need to schedule your backup strategy with RMAN.

Which two tasks would you need to perform to customize the backup configuration?

- A. Use the `bkup_api` utility logged in as the `oracleuser` to reconfigure the retention period and cycle period of the backups.
- B. Edit the `/home/oracle/bkup/oscfg.spec` specification file that is used by the DBaaS backup feature to maintain the list of system files and folders that are to be backed up.
- C. Edit the `/home/oracle/bkup/dbcfg.spec` specification file that is used by the DBaaS backup feature to maintain the list of database configuration files that are to be backed up.
- D. Use `dbms_scheduler` to perform automatic backups.

Correct Answer: AC

Explanation:

A: You can use the `bkup_api` utility to create an on-demand backup of a database deployment hosting a single-instance database or an Oracle Data Guard configuration.

By default, the backup is given a timestamp-based tag. To specify a custom backup tag, add the `--tag` option to the `bkup_api` command; for example, to create a longterm backup with the tag "monthly", enter the following command: `# /var/opt/oracle/bkup_api/bkup_api bkup_start --keep --tag=monthly` C. Customizing Which Database Configuration Files Are Backed Up To change which database configuration files are backed up:

1.
Connect as the `oracle` user to the compute node. For detailed instructions, see [Connecting to a Compute Node Through Secure Shell \(SSH\)](#).

2.
Edit the contents of the `/home/oracle/bkup/dbcfg.spec` file: The backup feature provided by Oracle Database Cloud Service backs up the files and folders listed in this specification file.

References: [Using Oracle Database Cloud Service \(February 2017\)](#) , pages 6-4, 6-10

<https://docs.oracle.com/en/cloud/paas/database-dbaas-cloud/csdbi/using-oracle-database-cloudservice.pdf>

QUESTION 2

Which statement is true about the Database Deployment and Database instances in Oracle Public Cloud?

- A. An Oracle database instance can support only one Database Deployment.
- B. A Database Deployment can support only one Oracle database instance.
- C. An Oracle database instance can support multiple Database Deployment.



D. A Database Deployment runs in a pluggable database (PDB), which is contained in a multi-tenant container database (CDB).

E. A Database Deployment can support multiple Oracle database instances.

Correct Answer: E

References: <https://docs.oracle.com/en/cloud/paas/database-dbaas-cloud/csdbi/dbdeployments.html#GUID-61C0A3F6-1760-47EC-8B3E-8B50AE1276D9>

QUESTION 3

Oracle provides additional web-based tools for monitoring Database as a Service (DBaaS) instances. One of the tools is DBaaS Monitor Console.

Which user would you have to log in as to use this tool?

- A. dbsnmp
- B. sys
- C. dbaas_monitor
- D. sysman

Correct Answer: C

Explanation:

To access Oracle DBaaS Monitor when the HTTPS port is unblocked:

1.

Open the Oracle Database Cloud Service console.

2.

From the menu for the deployment, select Open DBaaS Monitor Console.

A window prompting you for your user name and password is displayed.

3.

Enter dbaas_monitor as the user name and the password specified during the database deployment creation process, and then click OK.

References: Using Oracle Database Cloud Service (February 2017), 10-2

<https://docs.oracle.com/en/cloud/paas/database-dbaas-cloud/csdbi/using-oracle-database-cloudservice.pdf>

QUESTION 4

Which three actions can you perform from the Oracle Cloud My Services Dashboard page?



- A. Get Oracle Compute Cloud Service details.
- B. Add a data center and identity domain to your Cloud account.
- C. Activate services for the current data center and identity domain.
- D. Get Oracle GoldenGate Cloud Service details.
- E. Create a Database Deployment.
- F. View the date and time of the last access to each database instance.

Correct Answer: ACD

QUESTION 5

You want to apply a patch to your Oracle Database Cloud - Database as a Service.

What command will you execute to patch your database instance?

- A. `dbaascli dbpatchm --run -config`
- B. `dbaascli dbpatchm --run -setup`
- C. `dbaascli dbpatchm --run -apply`
- D. `dbaascli dbpatchm --run -patch`

Correct Answer: C

Explanation:

Options of the command: `dbaascli dbpatchm`

`apply` - applies the patch.

`clonedb` - applies a patch to a test deployment.

`list_patches` - displays a list of available patches.

`list_tools` - checks whether any cloud tooling updates are available.

`prereq` - checks the prerequisites of a patch.

`rollback` - rolls back the last deployment patch.

`switchback` - restores database software to a prior state.

`toolsinst` - downloads

References: References: Using Oracle Database Cloud Service (February 2017), page D-1

<https://docs.oracle.com/en/cloud/paas/database-dbaas-cloud/csdbi/using-oracle-database-cloudservice.pdf>



VCE & PDF

GeekCert.com

<https://www.geekcert.com/1z0-160.html>

2024 Latest geekcert 1Z0-160 PDF and VCE dumps Download

[Latest 1Z0-160 Dumps](#)

[1Z0-160 Practice Test](#)

[1Z0-160 Study Guide](#)