



1Z0-160^{Q&As}

Oracle Database Cloud Service

Pass Oracle 1Z0-160 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/1z0-160.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

You are migrating an Oracle Database 11.2.0.2 on-premise database to an Oracle Database Cloud Service (Database as a Service) that provides a pre-created Oracle Database 11.2.0.4 database.

Which two migration methods are possible?

- A. Data Pump Transportable Database (TDB) export/import
- B. Remote Cloning
- C. Data Pump Transportable Tablespace (TTS) export/import
- D. RMAN Transportable Tablespace (TTS)

Correct Answer: CD

Explanation:

You can migrate an on-premises source database to the database deployment on Oracle Database Cloud Service using the Data Pump Transportable Tablespace (TTS) method.

You can migrate an on-premises source database to a database deployment on Oracle Database Cloud Service using the RMAN Transportable Tablespace (TTS) with Data Pump method.

Incorrect Answers:

- A: Data Pump Transportable Database is not possible.
- B: Remote cloning is not possible.

References: <https://docs.oracle.com/en/cloud/paas/database-dbaas-cloud/csdbi/mig-11g-11g.html>

QUESTION 2

Which statement is true about the Database Deployment and Database instances in Oracle Public Cloud?

- A. An Oracle database instance can support only one Database Deployment.
- B. A Database Deployment can support only one Oracle database instance.
- C. An Oracle database instance can support multiple Database Deployment.
- D. A Database Deployment runs in a pluggable database (PDB), which is contained in a multi-tenant container database (CDB).
- E. A Database Deployment can support multiple Oracle database instances.

Correct Answer: E

References: <https://docs.oracle.com/en/cloud/paas/database-dbaas->



cloud/csdbi/dbdeployments.html#GUID-61C0A3F6-1760-47EC-8B3E-8B50AE1276D9

QUESTION 3

Oracle provides additional web-based tools for monitoring Database as a Service (DBaaS) instances. One of the tools is DBaaS Monitor Console.

Which user would you have to log in as to use this tool?

- A. dbsnmp
- B. sys
- C. dbaas_monitor
- D. sysman

Correct Answer: C

Explanation:

To access Oracle DBaaS Monitor when the HTTPS port is unblocked:

1.

Open the Oracle Database Cloud Service console.

2.

From the menu for the deployment, select Open DBaaS Monitor Console.

A window prompting you for your user name and password is displayed.

3.

Enter dbaas_monitor as the user name and the password specified during the database deployment creation process, and then click OK.

References: Using Oracle Database Cloud Service (February 2017), 10-2

<https://docs.oracle.com/en/cloud/paas/database-dbaas-cloud/csdbi/using-oracle-database-cloudservice.pdf>

QUESTION 4

Which two statements are true about the SSH tunnels within an Oracle Database Cloud Service environment?

- A. An individual SSH tunnel is required for each port in the environment.
- B. The client must provide the server with the SSH private key.
- C. The SSH tunnel must be selected by a security rule to enable remote access.
- D. The server must hold the SSH public and private keys in the SSH authorized_keysfile.



E. Oracle Database Cloud Service provides a centralized key server for all SSH connections.

Correct Answer: BC

QUESTION 5

Which three are ways to scale a Database as a Service (DBaaS) instance that is hosting three Oracle 12c databases?

- A. Add additional virtual network interfaces (VNICs) to the DBaaS instance.
- B. Increase the MEMORY_TARGET parameter value in each database instance that is running on the DBaaS instance.
- C. Increase the CPU_COUNT parameter value in each database instance that is running on the DBaaS instance.
- D. Increase the number of CPUs allocated to the DBaaS instance.
- E. Add storage to the DBaaS instance.
- F. Use the Oracle Database 12c In-Memory database option in each database instance that is running on the DBaaS instance.
- G. Increase the memory allocated to the DBaaS instance.

Correct Answer: DEG

[Latest 1Z0-160 Dumps](#)

[1Z0-160 PDF Dumps](#)

[1Z0-160 Study Guide](#)