



# 1Z0-242<sup>Q&As</sup>

PeopleSoft Application Developer II: Application Engine & Integration

## Pass Oracle 1Z0-242 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/1Z0-242.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers






### QUESTION 1

View the Exhibit.

The PeopleCode action contains this code:

```
If AE_STATEREC_AET.TYPE = Then AE_STATEREC_AET.AE_SECTION= PDATEA Else  
AE_STATEREC_AET.AE_SECTION= PDATET End-If;
```

What will be the result?



- A. The Call Section will call either UPDATEA or UPDATET based on the value of AE\_STATEREC\_AET.TYPE.
- B. The Call Section action will show an error. The PeopleCode program also needs to populate the field AE\_STATEREC\_AET.AE\_APPLID.
- C. The Call Section action will show an error. The PeopleCode program also needs to populate the field AE\_STATEREC\_AET.AE\_APPLID, not AE\_STATEREC\_AET.AE\_SECTION.
- D. The Call Section action will not execute because the PeopleCode program needs to pass values to the state record using bind variables.
- E. The Call Section action will show an error because UPDATEA and UPDATET are not public sections.

Correct Answer: A



### QUESTION 2

You want to examine the component buffer for the Customer Orders (PSU\_CUST\_ORDER ) component. Which four steps are necessary? (Choose four.)

- A. Start the PeopleCode Debugger and set a breakpoint.
- B. Access the Structure view on the PSU\_CUST\_ORDER component.
- C. In Application Designer, select Component Buffers.
- D. Access the Customer Orders component in the browser and trigger the breakpoint. Return to PeopleSoft Application Designer when the breakpoint triggers.
- E. Open, or create, a PeopleCode program that will execute while Customer Orders is running in the browser.
- F. Drill down through the component hierarchy in the Structure view on the PSU\_CUST\_ORDER component.
- G. In Application Designer, select Debug, View Component Buffers.

Correct Answer: ADEG

---

### QUESTION 3

Which two tasks do you need to complete after consuming a Web service? (Choose two.)

- A. Add a point-to-point routing.
- B. Add the appropriate OnRequest handler.
- C. Secure the service operation with a permission list.
- D. Write the PeopleCode to invoke the service operation.
- E. Update the connection properties on the service operation.

Correct Answer: CD

---

### QUESTION 4

Which type of message is most often used for PeopleSoft-to-PeopleSoft integrations?

- A. Rowset-based message
- B. Rowset-based message parts
- C. Non-rowset-based message
- D. Non-rowset-based message parts

Correct Answer: A

---



## QUESTION 5

Your customer presents you with a requirement for an Application Engine program that performs massive updates to reporting tables based on each day transactions.

The requirements are:

The Application Engine program must complete all processing within a four-hour window. In the event of an abend, there must be a way for the program to resume processing where it stopped.

What are your three design considerations? (Choose three.)

- A. Using a state record with a type of derived/work will improve processing speed, but field values will be lost if there is an abend.
- B. Using a run control record with a type of derived/work will improve processing speed, but field values will be lost if there is an abend.
- C. If the program commits frequently, less work will be lost if a restart is needed. However, each commit takes processing time.
- D. If the program commits frequently, fewer benchmarks are needed, which saves time. However, more work must be redone if a restart is needed.
- E. If the Disable Restart checkbox is selected for an Application program, processing time is reduced because Application Engine does not record checkpoints. However, the developer must build restart logic into the program.
- F. If the Disable Restart check box is not selected, derived/work state record field values are stored to PS\_AERUNCONTROL before each commit. However, using a derived/work state record improves processing speed.

Correct Answer: ACE

[1Z0-242 Practice Test](#)

[1Z0-242 Study Guide](#)

[1Z0-242 Exam Questions](#)



To Read the [Whole Q&As](#), please purchase the [Complete Version](#) from [Our website](#).

## Try our product !

100% Guaranteed Success

100% Money Back Guarantee

365 Days Free Update

Instant Download After Purchase

24x7 Customer Support

Average 99.9% Success Rate

More than 800,000 Satisfied Customers Worldwide

Multi-Platform capabilities - [Windows](#), [Mac](#), [Android](#), [iPhone](#), [iPod](#), [iPad](#), [Kindle](#)

We provide exam PDF and VCE of Cisco, Microsoft, IBM, CompTIA, Oracle and other IT Certifications. You can view Vendor list of All Certification Exams offered:

<https://www.geekcert.com/allproducts>

## Need Help

Please provide as much detail as possible so we can best assist you.

To update a previously submitted ticket:



 <p><b>One Year Free Update</b> Free update is available within One Year after your purchase. After One Year, you will get 50% discounts for updating. And we are proud to boast a 24/7 efficient Customer Support system via Email.</p>	 <p><b>Money Back Guarantee</b> To ensure that you are spending on quality products, we provide 100% money back guarantee for 30 days from the date of purchase.</p>	 <p><b>Security &amp; Privacy</b> We respect customer privacy. We use McAfee's security service to provide you with utmost security for your personal information &amp; peace of mind.</p>
---	---	--

Any charges made through this site will appear as Global Simulators Limited.

All trademarks are the property of their respective owners.

Copyright © geekcert, All Rights Reserved.