



1Z0-338^{Q&As}

Oracle Exadata Database Machine and Cloud Service 2017
Implementation Essentials

Pass Oracle 1Z0-338 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/1z0-338.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

Which three statements are true about Automatic Degree of Parallelism (Auto DOP) on Exadata? (Choose three.)

- A. Auto DOP is enabled via the PARALLEL_M1N_TIME_THRESHOLD initialization parameter.
- B. Oracle's Auto DOP algorithms calculate the Degree of Parallelism based on a table's block counts.
- C. Auto DOP is disabled by default, and must be enabled before SQL statements can take advantage of its features.
- D. Auto DOP, an exclusive feature in Exadata, allows the database optimizer to evaluate each statement and run it in parallel without special hints.
- E. Auto DOP is enabled by default, starting with Oracle 11gR2 and later, which allows full use of its features.
- F. The SQL statements that take advantage of Auto DOP can be identified by using data from Oracle Automatic Workload Repository (AWR) or Enterprise Manager's Monitored SQL Executions page.

Correct Answer: ABC

Reference:

https://books.google.com.pk/books?id=iY8Mt8SbWicCandpg=PA619andlpg=PA619anddq=Oracle%27s+Auto+DOP+algorithms+calculate+the+Degree+of+Parallelism+based+on+a+table%27s+block+countsandsource=blandots=2WytrJOjqandsig=wR8LwE3H4NgaDEZ8rQP8uVs2I1Mandhl=enandsa=Xandved=0ahUKEwjb_8iSy_jXAhUGzRQKHdeC_Ag0Q6AEIJzAA#v=onepageandq=Oracle%27s%20Auto%20DOP%20algorithms%20calculate%20the%20Degree%20of%20Parallelism%20based%20on%20a%20table%27s%20block%20countsandf=false

QUESTION 2

There are many different ways to load data into database tables.

Which method does Oracle strongly recommend?

- A. generic connectivity via ODBC or JDBC
- B. database gateways to open systems and mainframes
- C. Oracle GoldenGate
- D. Oracle Data Pump
- E. SQL*Loader import
- F. data loading via external tables

Correct Answer: F

QUESTION 3



Which three tools can be used on a freshly re-imaged Exadata system to create, resize, or delete ACFS filesystems? (Choose three.)

- A. SQL*Plus and ASMCMD
- B. ASMCA
- C. Enterprise Manager Express
- D. Enterprise Manager Cloud Control
- E. RMAN
- F. OUI

Correct Answer: ABC

Reference: <https://dbasolutions.wikispaces.com/ACFS+on+Linux>

QUESTION 4

Identify four significant changes when a backup of Exadata compute nodes must be performed. (Choose four.)

- A. addition of an Exadata storage expansion rack
- B. storage server rebalancing
- C. installation or reconfiguration of significant non-Oracle software
- D. application of Oracle patches
- E. before shutdown to preserve storage indexes
- F. application of operating system patches
- G. reconfiguration of significant operating system parameters

Correct Answer: ADFG

QUESTION 5

Identify three default ways to connect to Oracle Exadata Cloud Service that is running on Oracle Public Cloud.

- A. using the UNIX-based telnet command
- B. using SQL *Net from clients that are running on a compute cloud service
- C. using SSH for administrative purposes
- D. using Oracle Net from on-premise applications



E. using the Remote Desktop client and the RDP protocol

Correct Answer: BCD

Reference: https://www.oracle.com/webfolder/technetwork/tutorials/Architecture_Diagrams/ecs_arch/ecs_arch.html

[1Z0-338 VCE Dumps](#)

[1Z0-338 Practice Test](#)

[1Z0-338 Study Guide](#)