

1Z0-400^{Q&As}

Border Controller Implementation Essentials

Pass Oracle 1Z0-400 Exam with 100% Guarantee

Free Download Real Questions & Answers PDF and VCE file from:

https://www.geekcert.com/1z0-400.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by Oracle
Official Exam Center

- Instant Download After Purchase
- 100% Money Back Guarantee
- 365 Days Free Update
- 800,000+ Satisfied Customers





https://www.geekcert.com/1z0-400.html

2021 Latest geekcert 1Z0-400 PDF and VCE dumps Download

QUESTION 1

High availability (HA) nodes identify one another by their	_ names.
A. Identifier	
B. Host	
C. Mib-system-name	
D. Target	
E. Wancom0 name	
Correct Answer: D	

QUESTION 2

What are two differences between the SIP NAT Bridge (SNB) and the Single SIP NAT Homed in a Trusted Network (SSNHTN) models on the Session Border Controller?

A. In a SIP-NAT Bridge (SNB), multiple access and backbone realms are allowed. In the SSNHTN model, only one backbone realm is allowed.

B. In the SSNHTN model, the home proxy address (HPA)is set to 1.1.1.1, as the HPA is only needed in SNB architectures.

C. In the SSNHTN model, the home proxy address(HPA) is set to point to sipd.

D. In the SSNHTN model, the home address and home proxy address (HPA) are addressed from a range that is in the backbone realm.

E. Where is no distinguishable difference between the two models.

Correct Answer: AC

QUESTION 3

What needs to be done to enable Physical Interface Redundancy (phy link redundancy)?

- A. Set link-redundancy-state to enabled in the system-config.
- B. Set link-redundancy to enabled in the system-config.
- C. Set link-redundancy-state to enabled in the network-interface.
- D. Set link-redundancy to enabled in the network-interface.
- E. Run the superuser command enable phy-redundancy.

Correct Answer: C

https://www.geekcert.com/1z0-400.html

2021 Latest geekcert 1Z0-400 PDF and VCE dumps Download

QUESTION 4

You must decide whether to deploy the policy based realm bridging with header manipulation rules (PBRB- HMR) model in your SIP peering environment.

What are two deciding factors that tip your decision for or against HMR in contrast to a SIP- NAT Bridge (SNB) architecture?

- A. PBRB-HMR has lower performance overhead than SIP-NAT Bridge.
- B. PBRB-HMR is much easier to configure, even though it has similar performance to the SNB model.
- C. PBRB-HMR is recommended for both peering and access architectures.
- D. SNB is the simplest model to troubleshoot.
- E. PBRB-HMR provides better topology hiding, at the expense of performance.

Correct Answer: BE

QUESTION 5

Which two statements regarding SIP processing are TRUE?

- A. An initial INVITE will contain a From header tag and a To header tag as a globally unique identifier for the dialog.
- B. A CANCEL method can terminate a dialog.
- C. The combination of the To tag, From tag, and Call-ID completely defines a peer-to-peer SIP relationship and is referred to as a dialog.
- D. To avoid retransmissions, User Agents must forward received 100 Trying messages to their next hop.
- E. SIP sessions are terminated and re-originated as new sessions as they are routed through the Session Border Controller.

Correct Answer: AC

1Z0-400 VCE Dumps

1Z0-400 Study Guide

1Z0-400 Braindumps

https://www.geekcert.com/1z0-400.html

2021 Latest geekcert 1Z0-400 PDF and VCE dumps Download

To Read the Whole Q&As, please purchase the Complete Version from Our website.

Try our product!

100% Guaranteed Success

100% Money Back Guarantee

365 Days Free Update

Instant Download After Purchase

24x7 Customer Support

Average 99.9% Success Rate

More than 800,000 Satisfied Customers Worldwide

Multi-Platform capabilities - Windows, Mac, Android, iPhone, iPod, iPad, Kindle

We provide exam PDF and VCE of Cisco, Microsoft, IBM, CompTIA, Oracle and other IT Certifications. You can view Vendor list of All Certification Exams offered:

https://www.geekcert.com/allproducts

Need Help

Please provide as much detail as possible so we can best assist you. To update a previously submitted ticket:





Any charges made through this site will appear as Global Simulators Limited.

All trademarks are the property of their respective owners.

Copyright © geekcert, All Rights Reserved.