



1Z0-404^{Q&As}

Oracle Communications Session Border Controller 7 Basic Implementation Essentials

Pass Oracle 1Z0-404 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/1z0-404.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

You finished configuring a not Real Time Change (not RTC)-supported configuration element and you want to apply the change in your service.

Which two options are valid in order to accomplish this? (Choose two.)

- A. From user mode, execute the save-config and activate-config commands.
- B. From configuration mode, execute the save-config, activate-config, and reboot commands.
- C. From superuser mode, execute the save-config and activate-config and reboot commands.
- D. From superuser mode, execute the save-config and activate-config commands.
- E. From superuser mode, execute the save-config, activate-config, and reboot force commands.

Correct Answer: AD

QUESTION 2

You want to prevent the Session Border Controller from generating a unique Call-ID and from modifying the dialog tags.

How would you accomplish this?

- A. Navigate to the sip-interface configuration element and set the dialog-transparency parameter to disabled.
- B. Navigate to the sip-config configuration element and set the dialog-mapping parameter to disabled.
- C. Navigate to the sip-config configuration element and set the call-id-transparency parameter to disabled.
- D. Navigate to the sip-config configuration element and set the dialog-transparency parameter to disabled.
- E. Navigate to the sip-config configuration element and set the dialog-transparency parameter to enabled.

Correct Answer: E

Reference <http://luccisun.webfactional.com/sbc/SBC/NNSBCNOTE.html>

QUESTION 3

You configured the Session Agent Group (SAG) element. You want the Session Agent to be selected in the order in which they are listed in the destination list, with each agent selected in turn, one per session.

How would you accomplish this?

- A. Navigate to the session-agent configuration element and set the strategy parameter to sequential.
- B. Navigate to the session-agent configuration element and set the strategy parameter to propdist.
- C. Navigate to the session-agent configuration element and set the strategy parameter to hunt.



- D. Navigate to the session-agent configuration element and set the strategy parameter to roundrobin.
- E. Navigate to the session-agent configuration element and set the strategy parameter to leastbusy.

Correct Answer: D

QUESTION 4

You are logged in to the Session Border Controller a superuser. You want to remove other user from the system.

How do you accomplish this?

- A. from the superuser mode, by executing the remove user command
- B. from the user mode, by executing the kill command
- C. from the superuser mode, by executing the remove user command
- D. from the superuser mode, by executing the kill command
- E. from the user mode, by executing the remove user command

Correct Answer: C

QUESTION 5

You are configuring the boot parameters in the Session Border Controller.

Which three statements are true about the boot parameters? (Choose three.)

- A. A reboot is always required to apply any change to the boot parameters.
- B. The target name is used for domain name resolution.
- C. The system clock is a boot parameter.
- D. The boot parameters are stored in Non-Volatile Random Access Memory (NVRAM).
- E. The boot parameters are not affected by the activate-config command.

Correct Answer: ACD

[1Z0-404 VCE Dumps](#)

[1Z0-404 Practice Test](#)

[1Z0-404 Study Guide](#)