



# 1Z0-404<sup>Q&As</sup>

Oracle Communications Session Border Controller 7 Basic  
Implementation Essentials

## Pass Oracle 1Z0-404 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/1z0-404.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle  
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





### QUESTION 1

Which three statements are true about SIP, per RFC 326? (Choose three.)

- A. SIP does not provide for resource reservation.
- B. SIP defines native methods for negotiating media streams.
- C. A SIP transaction occurs between a client and a server.
- D. To set up a voice session, SIP relies on protocols such as SDP and RTP.
- E. SIP signaling can only be used for voice over IP thereby limiting its use as a general signaling protocol.

Correct Answer: CDE

---

### QUESTION 2

Your customer would like to allow call attempts only from User Agents(UAs) who have previously registered through the Session Border Controller or who are configured as session agents.

How would you accomplish this?

- A. Navigate to the sip-port configuration element and set the allow-anonymous parameter to agents-only.
- B. Navigate to the session-agent configuration element and set the allow-anonymous parameter to prevregistered.
- C. Navigate to the sip-port configuration element and set the allow-anonymous parameter to realm-prefix.
- D. Navigate to the sip-port configuration element and set the allow-anonymous parameter to registered.
- E. Navigate to the session-agent configuration element and set the allow-anonymous parameter to 403forbidden.

Correct Answer: D

---

### QUESTION 3

What should you do to enable physical interface redundancy?

- A. Navigate to the system-config configuration element and set the phy-redundancy parameter to enabled.
- B. Navigate to the network-interface configuration element and set the phy-redundancy parameter to enabled.
- C. Navigate to the network-interface configuration element and set the link-redundancy- state parameter to enabled.
- D. Navigate to the system-config configuration element and set the link-redundancy-state parameter to enabled.
- E. Run the superuser command enable phy-redundancy.

Correct Answer: C

---



#### QUESTION 4

You configured the Session Agent Group (SAG) element. You want the Session Agent to be selected in the order in which they are listed in the destination list, with each agent selected in turn, one per session.

How would you accomplish this?

- A. Navigate to the session-agent configuration element and set the strategy parameter to sequential.
- B. Navigate to the session-agent configuration element and set the strategy parameter to propdist.
- C. Navigate to the session-agent configuration element and set the strategy parameter to hunt.
- D. Navigate to the session-agent configuration element and set the strategy parameter to roundrobin.
- E. Navigate to the session-agent configuration element and set the strategy parameter to leastbusy.

Correct Answer: D

---

#### QUESTION 5

You are logged in to the Session Border Controller as a superuser. You want to remove another user from the system.

How do you accomplish this?

- A. from the superuser mode, by executing the remove user command
- B. from the user mode, by executing the kill command
- C. from the superuser mode, by executing the remove user command
- D. from the superuser mode, by executing the kill command
- E. from the user mode, by executing the remove user command

Correct Answer: C

[Latest 1Z0-404 Dumps](#)

[1Z0-404 VCE Dumps](#)

[1Z0-404 Braindumps](#)