



1Z0-404^{Q&As}

Oracle Communications Session Border Controller 7 Basic Implementation Essentials

Pass Oracle 1Z0-404 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/1z0-404.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

You are troubleshooting a SIP routing issue and you have access to the SIP call log processed by the Session Border Controller.

Which two steps are valid for troubleshooting this type of issues? (Choose two.)

- A. It is necessary to locate the SIP session to troubleshoot and check if there is a 404 Routes Not Found SIP error message.
- B. It is recommended to look for 183 Session Progress SIP error messages that indicate routing issues.
- C. It is recommended to check the called number by looking at the Request-URI of the INVITE message and making sure it is a valid number to be routed.
- D. It is recommended to find the CANCEL method received by the Session Border Controller which typically identifies a SIP routing issue.
- E. It is necessary to find an initial INVITE received by the Session Border Controller which gets a 503 Service Unavailable SIP error message.

Correct Answer: BE

QUESTION 2

What two problems do Network Address Translations (NATs) introduce into VoIP networks? (Choose two.)

- A. There are no major concerns with NATs.
- B. NATs block unsolicited incoming signaling and media.
- C. NATs block unsolicited incoming signaling but allow incoming media.
- D. NATs pinholes expire after a configurable time.
- E. NATs devices can be overloaded by incoming registrations.

Correct Answer: DE

QUESTION 3

Which three statements are true about the bootloader? (Choose three.)

- A. It decompresses the image file and loads it into the main RAM
- B. It reads the image file
- C. It is based on Linux
- D. It looks at the boot parameters



E. It is a Windriver\\'s VxWork product

Correct Answer: ABD

QUESTION 4

What does the Session Border Controller do when the Adaptive Hosted NAT (HNT) feature is enabled?

- A. It sends a periodic re-register command to each endpoint behind a NAT.
- B. It creates a binding for the Address of Record (AOR) of an endpoint that is behind a NAT.
- C. It creates a binding for the Address of Record (AOR) of an endpoint that is NOT behind a NAT.
- D. It sends SIP OPTIONS at increasing intervals to test if an endpoint behind a NAT device is still reachable.
- E. It sends ICMP PINGs to dynamically learn the binding time of an endpoint behind a NAT device.

Correct Answer: C

QUESTION 5

You are configuring steering pools. After executing the done command, you get this error message:

error 409 saving configuration SteeringPool.

Identify the cause of the error.

- A. The realm-id parameter value of the steering-pool refers to a realm-config element that already exists in the configuration.
- B. The ip-address parameter of the steering-pool has the same value as the address parameter of a sip-port configuration element.
- C. The realm-id parameter value of the steering-pool refers to a realm-config element that does not exist in the configuration.
- D. Another steering-pool configuration element with same ip-address, realm-id, start-port, and end-port parameters values already exists in the configuration.
- E. Another steering-pool configuration element with same ip-address and realm-id but with different start-port and end-port parameters values already exists in the configuration.

Correct Answer: E

[1Z0-404 VCE Dumps](#)

[1Z0-404 Exam Questions](#)

[1Z0-404 Braindumps](#)