



1Z0-404^{Q&As}

Oracle Communications Session Border Controller 7 Basic Implementation Essentials

Pass Oracle 1Z0-404 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/1z0-404.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

Which two statements describe the functions of Session Border Controllers? (Choose two.)

- A. they replace typical edge routers and firewalls in order to provide a unified network border for signaling and media control
- B. they are session-aware devices that enable control of end-to-end interactive communications across IP network borders
- C. they are based on the Windows operating system
- D. they provide routing functions for IP, TCP, and SMTP using application parameters
- E. they provide signaling proxy functions for SIP, H.323, and MGCP, which includes access control, signaling constraints, and topology hiding

Correct Answer: AE

QUESTION 2

How does the Session Border Controller ensure that a pinhole is kept open for persistent communication to a SIP endpoint behind a NAT device?

- A. by changing the expires= parameter to a defined value in 200 OK responses to REGISTERs
- B. by changing the expires= parameter to a defined value in 200 OK responses to INVITEs
- C. by issuing PINGs to the endpoint's NAT address
- D. by sending Address Resolution Protocol (ARP) requests at a defined frequency
- E. by sending messages at a defined frequency

Correct Answer: D

QUESTION 3

You used the no command to delete a configuration element.

Which statement is true?

- A. The deletion is lost on immediate reboot.
- B. The deletion is reflected when viewing the running configuration.
- C. The deletion takes effect immediately in the saved configuration.
- D. The deletion always requires a reboot to take effect.
- E. The deletion requires auto-save enabled.



Correct Answer: A

QUESTION 4

What is the first thing you should do when you want the Session Border Controller to detect that an endpoint is behind a NAT/firewall device?

- A. Navigate to the sip-port configuration element and set the nat-traversal parameter to disabled.
- B. Navigate to the sip-interface configuration element and set the nat-traversal parameter to never.
- C. Navigate to the sip-interface configuration element and set the nat-traversal parameter to always.
- D. Navigate to the sip-port configuration element and set the nat-traversal parameter to enabled.
- E. Navigate to the sip-interface configuration element and set the nat-traversal parameter to detect.

Correct Answer: C

QUESTION 5

What does the Session Border Controller do when the Adaptive Hosted NAT (HNT) feature is enabled?

- A. It sends a periodic re-register command to each endpoint behind a NAT.
- B. It creates a binding for the Address of Record (AOR) of an endpoint that is behind a NAT.
- C. It creates a binding for the Address of Record (AOR) of an endpoint that is NOT behind a NAT.
- D. It sends SIP OPTIONS at increasing intervals to test if an endpoint behind a NAT device is still reachable.
- E. It sends ICMP PINGs to dynamically learn the binding time of an endpoint behind a NAT device.

Correct Answer: C

[1Z0-404 VCE Dumps](#)

[1Z0-404 Practice Test](#)

[1Z0-404 Braindumps](#)