

1Z0-419^{Q&As}

Implementation Application Development Framework

Pass Oracle 1Z0-419 Exam with 100% Guarantee

Free Download Real Questions & Answers PDF and VCE file from:

https://www.geekcert.com/1z0-419.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by Oracle
Official Exam Center

- Instant Download After Purchase
- 100% Money Back Guarantee
- 365 Days Free Update
- 800,000+ Satisfied Customers



https://www.geekcert.com/1z0-419.html

2024 Latest geekcert 1Z0-419 PDF and VCE dumps Download

QUESTION 1


Which two statements are true about developing applications for different clients? (Choose two.)

- A. ADF can be used to build web applications for mobile devices that have browsers, such as tablets and smart phones.
- B. ADF Business Components need to be developed uniquely depending on the type of client accessing them.
- C. ADF can be used to build applications where Microsoft Excel is the UI client.
- D. it is necessary to develop completely different applications for mobile browsers, desktop browsers, and other clients.
- E. ADF can be used to deploy server-based web applications as native mobile device applications.

Correct Answer: AC

QUESTION 2


View the Exhibit Which option represents the steps to add a relationship between OrdVO and ItemVO and create a master-detail hierarchy for the same in the data model? (Choose the best answer.)



VCE & PDF GeekCert.com

https://www.geekcert.com/1z0-419.html

2024 Latest geekcert 1Z0-419 PDF and VCE dumps Download



- A. Select View Link from the Components window and draw a line on the diagram from ItemVO to OrdVO. Use the Application Module Editor to define the data model for the hierarchy.
- B. Create a view link with OrdVO as the source and ItemVO as the destination and define the linked attributes Use the Application Module Editor to define the data model for the hierarchy.
- C. Create a view link with ItemVO as the source and OrdVO as the destination and define the linked attributes. Use the Application Module Editor to nest the OrdVO instance beneath the ItemVO instance.
- D. Select Association from the Components window and draw a line on the diagram from OrdEO to ItemEO diagram and select Generate View Link

Correct Answer: B

QUESTION 3

Which three statements are true about afpanelTabbed? (Choose three.)

- A. Tab position can be only top or bottom.
- B. Content inside a tab can stretch horizontally.
- C. You can use i cons i nstead of text on tabs.
- D. You can have only one disclosed tab at a time.
- E. You cannot have an afpaneffabbed component inside one of the tabs.

Correct Answer: BDE

QUESTION 4

Your organization has specified that menu components should be located on the left-hand side of a page and that the main content should be displayed in the center. How do you ensure that developers adhere to this standard? (Choose

VCE & PDF GeekCert.com

https://www.geekcert.com/1z0-419.html

2024 Latest geekcert 1Z0-419 PDF and VCE dumps Download

the best answer.)

- A. Ask all developers to use the two-column quick start layout.
- B. Create a page template that defines the specified layout and distribute it to developers
- C. Create an ADF library that contains a collection of ADF Faces components that developers must use
- D. Create a task flow template that defines the specified layout; this will enforce the correct layout on all pages that are built from the template.

Correct Answer: B

QUESTION 5

you nave wnnen a uroovy vanaaiion expression ror me tmpioyees enuiy ODjea. now woula you customize ine error message to snow rne value 01 rne LastName attribute as all uppercase? (Choose the best answer.)

- A. Add a token to the validation error message and define the token value as LastName toUpperCase().
- B. Add a token to the validation error message and define the token value as adf.object.hints toUpperCase.
- C. Add a token to the validation error message and define the token value as adf.object.hints value toUpperCase
- D. Manually change the error string in the ModelBundle.properties file to be uppercase.
- E. insert adf error raise ("" + LastName tollpperCaseO) into the validation code as part of the failure processing.

Correct Answer: E

Latest 1Z0-419 Dumps

1Z0-419 Practice Test

1Z0-419 Exam Questions