1Z0-432^{Q&As}

Oracle Real Application Clusters 12c Essentials

Pass Oracle 1Z0-432 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.geekcert.com/1z0-432.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle
Official Exam Center

⚙ **Instant Download** After Purchase

⚙ **100% Money Back** Guarantee

⚙ **365 Days** Free Update

⚙ **800,000+** Satisfied Customers

QUESTION 1

Your manager has tasked you with planning an Oracle Grid Infrastructure 12cR1 installation. Which three actions must be performed before beginning the installation?

A. All nodes are configured with the same operating system and version.

B. Network interfaces are configured for public and private traffic.

C. A valid voting disk file is available on at least one node.

D. Shared storage is available from all servers.

E. Each public network interface has its own subnet

Correct Answer: ABD

QUESTION 2

The customer is still not convinced about the advantages of using node VIPs. Which is the most important point that will convince him about why VIPs are used in Oracle RAC 12cR1 environments?

A. It is very convenient as whenever a node/interface/network related to the node VIP fails, the VIP can fail to another node and the failed over VIP can start accepting connections from the new node avoiding connection failures

B. This is needed as whenever a node/interface/network related to the node VIP fails, clients that attempt to connect to the VIP address receive a rapid connection-refused error instead of waiting for TCP connect timeout messages. This helps for a quicker failure detection and resolution

C. It is needed as whenever the node/interface/network related to the VIP fails, nothing happens and node VIP never fails to any other node and stays stable

D. Configuring VIP is optional and not needed in an Oracle RAC 12cR1 configuration.

Correct Answer: A

QUESTION 3

Which statement best describes the interaction between an Oracle ASM instance and the Oracle Database?

A. Oracle ASM provides an access path between a database instance and storage.

B. A database instance uses an extent map provided by Oracle ASM to access data files

C. Oracle ASM provides storage services only and does not interact with the database.

D. An Oracle Database must use Oracle ASM in a high availability configuration.

Correct Answer: B

QUESTION 4

You are managing a four node Oracle RAC environment. During a maintenance window it is required to shut down and restart RAC instances 2 and 4. Which option shows the required commands to accomplish this task?

A. srvct1 stop instance -i racdb1 -d racdbsrvct1 stop instance -d racdb -i racdb2srvct1 start instance -d racdb -i racdb2 srvct1 start instance -i racdb -d racdb2

B. srvct1 stop instance -i racdb4 -d racdbsrvct1 stop instance -d racdb -i racdb2srvct1 start instance -i racdb2 -d racdb srvct1 start instance -i racdb4 -d racdb

C. srvct1 stop instance -i racdb4 -d racdb intermediatesrvct1 stop instance -d racdb -i racdb2 intermediatesrvct1 start instance -i racdb2 -d racdb srvct1 start instance -i racdb4 -d racdb

D. srvct1 stop instance -i racdb -d racdb forcesrvct1 stop instance -d racdb2 -i racdb forcesrvct1 start instance -i racdb2 -d racdb srvct1 start instance -i racdb4 -d racdb

Correct Answer: B

QUESTION 5

You are given the task of managing an Oracle RAC 12cR1 Cluster by using Oracle Flex ASM. Which two statements are valid?

A. A failure of an ASM instance affects the databases, even if you are using ASM disk groups

B. A failure of an ASM instance affects availability for the databases using ASM disk groups due to decreased cardinality of available ASM instances

C. To determine whether Oracle Flex ASM is enabled, use asmcmd show cluster mode

D. When deployed, Oracle Flex ASM enables an Oracle ASM instance to run on a separate physical server from the database server

Correct Answer: AD