



1Z0-447^{Q&As}

Oracle GoldenGate 12c Implementation Essentials

Pass Oracle 1Z0-447 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/1z0-447.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

You need to look up table definitions in a file. Which Replicat parameter should you use?

- A. ASSUMETARGETDEFS
- B. COLMATCH
- C. SOURCEDEFS
- D. MAP

Correct Answer: C

QUESTION 2

Replicat makes checkpoints in the trail file to mark its last read position. Select two ways to create checkpoint tables.

- A. Run the `chkpt_db_extracttrail.sql` script.
- B. Run the `chkpt_db_create.sql` script.
- C. Use the `ADDEExtract Trail` command.
- D. Use the `INFOREPLICAT` command with the `SHOWCH` option.
- E. Use the `ADDCHECKPOINTTABLE` command.

Correct Answer: BE

Reference: https://docs.oracle.com/goldengate/1212/gg-winux/GWUAD/wu_ogg_checkpts.htm#GWUAD972

QUESTION 3

You need to locate the position of the oldest unprocessed transaction by using the command `INFO EXTRACT SHOWCH`. How should you proceed?

- A. Use the Read Startup Checkpoint.
- B. Use the Read Recovery Checkpoint.
- C. Use the Write Startup Checkpoint.
- D. Use the Read Current Checkpoint.

Correct Answer: B

Reference: https://docs.oracle.com/goldengate/1212/gg-winux/GWUAD/wu_ogg_checkpts.htm#GWUAD968



QUESTION 4

Identify two correct statements regarding GoldenGate supported features.

- A. GoldenGate supports network encryption and compression.
- B. GoldenGate supports DML and DDL replication for all supported databases.
- C. GoldenGate for Oracle supports Exadata Hybrid Columnar Compression as a source.
- D. GoldenGate for SQLServer supports only SQLServer Standard Edition as a source.

Correct Answer: AC

QUESTION 5

Which is an incorrect syntax for connecting to a source or target database by an Extract or Replicat?

- A. TARGETDB TargetDSN USERID sampleID PASSWORD sampleword
- B. SOURCEDB SourceDSN
- C. SOURCEDB sampleDB USERID sampleID PASSWORD sampleword
- D. TARGETDB sampleID sampleword

Correct Answer: B

[Latest 1Z0-447 Dumps](#)

[1Z0-447 VCE Dumps](#)

[1Z0-447 Study Guide](#)