



# 1Z0-447<sup>Q&As</sup>

Oracle GoldenGate 12c Implementation Essentials

## Pass Oracle 1Z0-447 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/1z0-447.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





### QUESTION 1

You need to locate the position of the oldest unprocessed transaction by using the command INFO EXTRACT SHOWCH. How should you proceed?

- A. Use the Read Startup Checkpoint.
- B. Use the Read Recovery Checkpoint.
- C. Use the Write Startup Checkpoint.
- D. Use the Read Current Checkpoint.

Correct Answer: B

Reference: [https://docs.oracle.com/goldengate/1212/gg-winux/GWUAD/wu\\_ogg\\_checkpts.htm#GWUAD968](https://docs.oracle.com/goldengate/1212/gg-winux/GWUAD/wu_ogg_checkpts.htm#GWUAD968)

---

### QUESTION 2

You want to issue GoldenGate commands from a script. What sequence of steps should you follow to accomplish this?

- A. Create a text file that contains the commands that you want to issue, in the order they are to be issued. Run GGSCI ./input\_file, where the file name is the script file.
- B. Create a text file that contains the commands that you want to issue, in the order they are to be issued. Enter ggsci
- C. Create a text file that contains the commands that you want to issue, in the order they are to be issued. Run GGSCI
- D. Create a text file that contains the commands that you want to issue, in the order they are to be issued. Enter ggsci ./input\_file from the command line of the operating system, where the file name is the script file.

Correct Answer: B

Reference: <https://docs.oracle.com/goldengate/c1221/gg-winux/GWUAD/getting-started-oracle-goldengate-process-interfaces.htm#GWUAD1096>

---

### QUESTION 3

You must locate the next good record header in a Logdump file. How should you do this?

- A. Logdump >SCANFORGHDR
- B. Logdump > GHDR ON
- C. Logdump > SCANFORENDTRANS
- D. Logdump > SCANFORHEADER

Correct Answer: D

Reference: <https://docs.oracle.com/goldengate/c1230/gg-winux/GLOGD/using-logdumputility.htm#GLOGD108>

---



#### QUESTION 4

Which statement is valid for DDL replication?

- A. GoldenGate User Exits are not supported for DDL.
- B. Source and target objects can be different.
- C. Target objects can be different from source when using SOURCEDEFS in Replicat.
- D. It can use WILDCARDRESOLVE IMMEDIATE.

Correct Answer: B

---

#### QUESTION 5

Which option is not included as part of a Veridata installation?

- A. Veridata BackPlane Server
- B. Veridata Agent
- C. Veridata Web Server
- D. Veridata Repository

Correct Answer: A

Reference: <https://docs.oracle.com/goldengate/v12212/gg-veridata/GVDIS/GVDIS.pdf>

[Latest 1Z0-447 Dumps](#)

[1Z0-447 PDF Dumps](#)

[1Z0-447 VCE Dumps](#)