



# 1Z0-448<sup>Q&As</sup>

Oracle Data Integrator 12c Essentials

**Pass Oracle 1Z0-448 Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/1z0-448.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





### QUESTION 1

When Oracle Data Integrator (ODI) and Oracle GoldenGate are used together, which option represents the phases of an ELT process that Oracle GoldenGate performs? (Choose the best answer.)

- A. transform only
- B. load and transform
- C. extract and load
- D. extract and transform

Correct Answer: A

(<http://www.oracle.com/us/products/middleware/data-integration/oracle-goldengate-realtime-access2031152.pdf>)

---

### QUESTION 2

You must monitor and manage a co-located stand-alone agent, OracleDIAgent1, by using the ODI plug-in for Enterprise Manager Cloud Control.

Which is the correct command to start this agent on Linux? (Choose the best answer.)

- A. `./agent.sh -NAME=OracleDIAgent1 -PORT=20910`
- B. `./agent.sh -NAME=OracleDIAgent1`
- C. `./startComponent.sh OracleDIAgent1`
- D. `./startComponent.sh OracleDIAgent1 -PORT=20910`

Correct Answer: A

(<https://community.oracle.com/thread/3780742?start=0andtstart=0>)

---

### QUESTION 3

You are using a customized reverse knowledge module. You want the execution to be performed in only the development data environment.

Which statement is true? (Choose the best answer.)

- A. The execution should be done only on the development data environment, as long as the other environment is a mirrored copy.
- B. Only the production environment can be used.
- C. All environments linked to a logical schema can be used to reverse-engineer table structures.
- D. Only a Java engine intermediate environment can be processed.



Correct Answer: C

([http://docs.oracle.com/cd/E23943\\_01/integrate.11111/e12643/create\\_rev\\_model.htm#ODIDG227](http://docs.oracle.com/cd/E23943_01/integrate.11111/e12643/create_rev_model.htm#ODIDG227))

---

#### QUESTION 4

Which ODI Agent is deployed in Oracle WebLogic Server? (Choose the best answer.)

- A. ODI Runtime Agent
- B. ODI Standalone Agent
- C. ODI JEE Agent
- D. ODI Colocated Standalone Agent

Correct Answer: C

(<http://www.oracle.com/technetwork/middleware/data-integrator/overview/oracledi-architecture-1129425.pdf>)

---

#### QUESTION 5

How do you reuse a configuration of OdiSendMail across multiple packages? (Choose the best answer.)

- A. Add a sub-model to a package, set the Sub-model step to Journalizing Sub-model, and select the Extend Window and Lock Subscriber check boxes.
- B. Add anOdiSendMailstep to a knowledge module.
- C. Duplicate theOdiSendMail stepinto multiple packages.
- D. Create a procedure with a step that usesOdiSendMailand add this procedure into multiple packages.

Correct Answer: D

(<https://blogs.perficient.com/oracle/2014/08/26/how-to-create-an-oracle-data-integrator-odi-package/>)

[1Z0-448 VCE Dumps](#)

[1Z0-448 Study Guide](#)

[1Z0-448 Exam Questions](#)