



1Z0-462^{Q&As}

Oracle WebCenter Sites 11g Essentials

Pass Oracle 1Z0-462 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/1z0-462.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

In the following render tag, what does childpagename refer to?

```
<render:satellitepage pagename='<%=ics.GetVar("childpagename")%>' args="c,cid,foo" />
```

- A. childpagename refers to the value of the template that you want to render.
- B. childpagename refers to the name of the child page asset that you want to render.
- C. childpagename refers to the wrapper element that you want to render.
- D. childpagename refers to the element associated with the current page name.

Correct Answer: C

QUESTION 2

In the following calltemplate tag forasstype C, what does variant stand for?

```
<insite:calltemplate slotname="HelloSlot" tname="HelloDetail"  
variant="HelloDetail|Detail" args="c,cid" />
```

- A. different layout templates for the asset type C that can be used in this slot
- B. different subtypes that can be handled by the template HelloDetail
- C. different slots used for web mode and form mode for HelloSlot
- D. custom template property that can be controlled from web mode

Correct Answer: B

QUESTION 3

Your PageLayout template has the following code part of the template:



```
<render:calltemplate
  tname="/Content_C/Detail"
  c="Content_C"
  cid='<%=ics.GetVar("assetId")%>'
  slotname="slot_detail"
  site='<%=ics.GetVar("site")%>'
  tid='<%=ics.GetVar("tid")%>'>
<render:argument name="p" value='<%=ics.GetVar("p")%>' />
<render:argument name="argA" value='<%=ics.GetVar("argA")%>' />
<render:argument name="argB" value='<%=ics.GetVar("argB")%>' />
</render:calltemplate>
```

When trying to render this page, you see the following exception in the log:

```
<!--FTCS|||result=MySite/Content_C/Detail bad params ignored|||reason=Parameter(s) not
PageCriteria|||err=-106|||command=satellite.page|||params=|||-->
[2012-02-13 17:48:28,599] [logging.cs.cache.page] INVALID PARAM: argA=9
[2012-02-13 17:48:28,599] [logging.cs.cache.page] INVALID PARAM: argB=1307036962437
```

What is the cause for this exception?

- A. Parameters argA and argB are not part of the MySite/Content_C/Detail template's cache criteria.
- B. Parameters argA and argB are not part of the PageLayout template's cache criteria.
- C. Page asset needs to have argA and ArgB defined as cache criteria.
- D. Page asset needs to have argA and ArgB defined as attributes part of the asset.

Correct Answer: D

QUESTION 4

Which three are features that are used in defining a flex definition?

- A. A list of parent definitions
- B. A list of attributes
- C. A list of templates
- D. A list of named associations
- E. A list of filters
- F. A list of start menus

Correct Answer: BDE



QUESTION 5

Which set of asset types can be managed only through the Admin UI with the default settings after an installation?

- A. flex filter, recommendation, and flex definition
- B. query, flex definition, and recommendation
- C. SiteEntry, flex parent definition, and flex attributes
- D. flex parent definition, SiteEntry, and query

Correct Answer: D

[Latest 1Z0-462 Dumps](#)

[1Z0-462 VCE Dumps](#)

[1Z0-462 Study Guide](#)