



1Z0-468^{Q&As}

Oracle Cloud Application Foundation Essentials

Pass Oracle 1Z0-468 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/1z0-468.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

Which two statements are true about minor or young garbage collections? (Choose two.)

- A. Minor garbage collection is triggered when the eden space is full.
- B. Minor garbage collection does not cause a stop the world operation.
- C. Permanent generation is included in minor garbage collection.
- D. Minor garbage collections are usually shorter, with minimal impact on performance.
- E. Minor garbage collection does not occur when using a parallel collector.

Correct Answer: AB

QUESTION 2

Identify three situations where Coherence is used (Choose three.)

- A. to scale the amount of data accessed on the application or middleware tier
- B. to offload shared services or databases on repeated reads
- C. to accelerate complex RDBMS joins by storing data in memory
- D. to reduce database load by batching and coalescing writes
- E. to perform map-reduce aggregations of unstructured data

Correct Answer: BDE

QUESTION 3

Which two mechanisms are explicitly monitored to determine death of a cluster member? (Choose two.)

- A. garbage collection
- B. stuck threads
- C. heartbeats D. TCP socket connections

Correct Answer: CD

Death detection works by creating a ring of TCP connections between all cluster members. TCP communication is sent on the same port that is used for cluster UDP communication. Each cluster member issues a unicast heartbeat, and the most senior cluster member issues the cluster heartbeat, which is a broadcast message. Each cluster member uses the TCP connection to detect the death of another node within the heartbeat interval. Death detection is enabled by default and is configured within the element.



QUESTION 4

What agent is used to collect the WLS server metrics that are available on the WLS All Metrics page?

- A. ADP Agent
- B. JVM Diagnostics Agent
- C. BTM Agent
- D. EM Agent
- E. JVMD Agent

Correct Answer: B

QUESTION 5

What could cause an AddTargetUser operation to fail with a 401 or a 403 error?

- A. Virtual Assembly Builder Deployer application is down.
- B. The user whose credentials were used to connect to Virtual Assembly Deployer has not been granted the Cloud Admin role.
- C. A connection between Virtual Assembly Builder Deployer and oracle VM Manager resource pool has not been configured.
- D. The Oracle VM Manager Admin user, whose credentials were used in the createTarget operation, has not been granted the Application Admin role.

Correct Answer: B

[Latest 1Z0-468 Dumps](#)

[1Z0-468 PDF Dumps](#)

[1Z0-468 Exam Questions](#)