



# 1Z0-485<sup>Q&As</sup>

Oracle Exadata Database Machine

## Pass Oracle 1Z0-485 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/1z0-485.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle  
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





### QUESTION 1

Identify the relevant steps in the correct order for activating an Auto Service Request (ASR) configuration.

1.

Add SNMP traps manually or using OneCommand.

2.

Install ASR Manager.

3.

Activate a node on ASR Manager.

4.

Validate the configuration.

5.

Register ASR Manager with Oracle.

A. 2, 5, 1, 3, and 4

B. 2, 4, 1, 3, and 5

C. 5, 2, 4, 1, and 3

D. 5, 4, 2, 1, and 3

Correct Answer: A

---

### QUESTION 2

100% Real QandAs | 100% Real Pass

Which statement is true about the patching features provided in Platinum Services?

A. Patching services are available for the full software stack up to twice per year.

B. Patching support includes Exadata, Exalogic, and Database Appliance.

C. Rolling window and complete down time approaches are two options to patching.

D. Platinum covers Exadata storage software and firmware patching, but the customer must perform database patching.

Correct Answer: D

---



### QUESTION 3

What are two impacts of selecting high redundancy over normal redundancy for your diskgroups?

- A. High redundancy provides more usable storage.
- B. Normal redundancy provides more usable storage.
- C. High redundancy gives you better I/O performance.
- D. High redundancy provides High Availability (HA) during disk failure and rolling Storage Server patching
- E. Normal redundancy provides HA during rolling Storage Server patching.

Correct Answer: BD

---

### QUESTION 4

Identify three best practices for applying asmdeactivationoutcome es on Exadata Database Servers and Exadata Storage Servers?

- A. Backing up database servers and storage cells is not recommended before performing planned maintenance.
- B. Database server updates can be rolled back using the the "yum downgrade" procedure.
- C. Bundle patches do not require testing before being installed on a production system.
- D. It is recommended that Exadata systems with Data Guard configured use the "Standby First" patching approach.
- E. Patching should never be interrupted due to a connection drop. It is therefore recommended that you use VNC or the screen utility.
- F. Before patching cells in a rolling manner, you must check asmdeactivationoutcome amModestatus and make sure that cells on all disks are online and that disks can be deactivated.

Correct Answer: DEF

---

### QUESTION 5

Identify four significant changes when a backup of Exadata compute nodes must be performed.

- A. application of operating system patches
- B. before shutdown to preserve storage indexes
- C. application of Oracle patches
- D. reconfiguration of significant operating system parameters
- E. installation or reconfiguration of significant non-Oracle software
- F. storage server rebalancing



G. addition of an Exadata storage expansion rack

Correct Answer: ACDG

[1Z0-485 PDF Dumps](#)

[1Z0-485 Study Guide](#)

[1Z0-485 Braindumps](#)