



# 1Z0-493<sup>Q&As</sup>

Oracle Communications Order and Service Management Server 7  
Implementation Essentials

**Pass Oracle 1Z0-493 Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/1z0-493.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





### QUESTION 1

Identify two fallout scenarios that originate during communication between OSM and another system and that could simply be resolved by retrying the failed communication.

- A. failures caused due to network outage
- B. failures caused due to down time in an external system
- C. failures due to inconsistencies in product catalog configuration
- D. failures that originate due to inconsistent data provided by northbound systems
- E. failures that originate due to inconsistent data returned from southbound systems

Correct Answer: CD

---

### QUESTION 2

Which two OSM components are deployed in Oracle WebLogic Server?

- A. OSM server
- B. web clients
- C. runtime database
- D. Design Studio IDE
- E. provisioning framework

Correct Answer: AB

---

### QUESTION 3

You implement a dependency between two functions in a product specification. What is the default configuration you expect in this dependency?

- A. It would have a wait condition with a wait delay configuration.
- B. It would have a wait condition based on a data change notification.
- C. It would use a product specification dependency.
- D. It would use an order item dependency.
- E. It would use a property correlation dependency.

Correct Answer: D

Reference [https://docs.oracle.com/cd/E49311\\_01/doc.724/e41610/orchs\\_depends\\_items.htm#DSCOM273](https://docs.oracle.com/cd/E49311_01/doc.724/e41610/orchs_depends_items.htm#DSCOM273)



#### QUESTION 4

Why would you use the following XPath expression while defining a behavior for a task?

```
instance("List")/Element/Name
```

- A. to apply a condition to the behavior
- B. to access data from a database
- C. to include complex logic in the behavior
- D. to get a list of values from the task data
- E. to launch a parallel automated task

Correct Answer: D

---

#### QUESTION 5

When submitting test orders to OSM from Design Studio, you realize that the interface is not responding. What could be the reason?

- A. The CreateOrder web service operation is not working.
- B. The CreateOrderBySpecification web service operation is not working.
- C. The database connection is not set.
- D. The ReceiveOrder XML API operation is not working.
- E. The Task Web client Create option is not working.

Correct Answer: A

[1Z0-493 Practice Test](#)

[1Z0-493 Study Guide](#)

[1Z0-493 Exam Questions](#)