

1Z0-531^{Q&As}

Oracle Essbase

Pass Oracle 1Z0-531 Exam with 100% Guarantee

Free Download Real Questions & Answers PDF and VCE file from:

https://www.geekcert.com/1Z0-531.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by Oracle
Official Exam Center

- Instant Download After Purchase
- 100% Money Back Guarantee
- 365 Days Free Update
- 800,000+ Satisfied Customers



VCE & PDF GeekCert.com

https://www.geekcert.com/1Z0-531.html

QUESTION 1

You have a reporting requirement to track and report the employee status for employees in your workforce ASO Essbase database. Employee status can change over time. One report requires employees down the rows and employee status

across the columns.

What is the best solution to meet the all of the requirements?

- A. Separate Employee status dimension
- B. Text List
- C. Smart List
- D. Attribute dimension
- E. Varying attribute dimension
- F. Alternate hierarchy
- G. User defined attribute

Correct Answer: D

D: An attribute dimension is a special type of dimension that is associated with a standard dimensions. Use attribute dimensions to report and aggregate data based on characteristics of standard dimensions. In the Sample.Basic database, for example, the Product dimension is associated with the Ounces attribute dimension. Members of the Ounces attribute dimension categorize products based on their size in ounces. Essbase does not allocate storage for attribute dimension member. Instead, it dynamically calculates the members when the user requests data associated with them. Attribute dimensions are always sparse dimensions. And you can associate attribute dimensions only with sparse standard dimensions

QUESTION 2

Assuming Sales and Year are sparse and Actual is dense, what two actions will the following calc script perform?

FIX (Actual, @CY, Sales) DATAEXPORT "BINFILE" "data.txt"; ENDFIX

- A. Export the data for actual, current year, sales into a text file called data.txt
- B. Export the data for actual, current year into a text file called data.txt
- C. Export data blocks in a compressed encrypted format
- D. Create a text file that can be imported using the DATAIMPORTBIN calc command in another database that has different dimensionality

Correct Answer: AC

The FIX...ENDFIX command block restricts database calculations to a subset of the database. All commands nested between the FIX and ENDFIX statements are restricted to the specified database subset.

VCE & PDF GeekCert.com

https://www.geekcert.com/1Z0-531.html

2021 Latest geekcert 1Z0-531 PDF and VCE dumps Download

Syntax:

FIX (fixMbrs)COMMANDS ;ENDFIX

fixMbrs: A member name or list of members from any number of database dimensions.

DATAEXPORT writes data to a text file, binary file, or as direct input to a relational file using ODBC. The data blocks will be saved in a compressed encrypted format to a text file. For a binary output file:DATAEXPORT "Binfile" "fileName"
QUESTION 3
Which four are the directories used for aggregate storage databases?
A. Default
B. Log
C. Metadata
D. Data
E. Bin
F. Temp
Correct Answer: ABCF
ASO (Aggregate storage option):
*
Directory structure differs in both content and purpose from BSO
*
Tablespaces are utilized to store data and metadata ** Default stores numeric data (.dat file) ** Log records database activity ** Metadata stores metadata information about the objects in the database ** Temp temporary working space fo the Essbase kernel
QUESTION 4
Which six files are involved in database recovery for block storage option after a database crash?
A. Essn.pag data
B. Essn.ind index
C. Essn.dat
D. Temp.dat

E. Dbname.esm - kernel file that contains control information for db recovery

VCE & PDF GeekCert.com

https://www.geekcert.com/1Z0-531.html

2021 Latest geekcert 1Z0-531 PDF and VCE dumps Download

- F. Dbname.tct transaction control table
- G. Dbname.ind free fragment file for data and index free fragments
- H. DBname.otl
- I. Metadata folder

Correct Answer: ABEFGH

If there is a problem with any one of these essential database files, the entire database becomes corrupted and Essbase Server cannot start the database:

*
essn.pag (A)

*
essn.ind (B)

*
dbname.esm (E)

*
dbname.tct (F)

dbname.ind (G)

dbname.otl (for block storage databases) (H): Outline file, which stores all metadata for a database and defines how data is stored, but does not store data itself

To restore the database, delete these file, restart the database, and reload from data files or from export files backed up before the corruption.

QUESTION 5

You receive the following error: Error: 1042017: Network error: The client or server timed out waiting to receive data. Which two settings in the Essbase.CFG are most commonly used to correct the issue?

- A. DISPLAYMESSAGELEVEL
- **B. NETDELAY**
- C. NETRETRYCOUNT
- D. MAX_REQUEST_GRID_SIZE
- E. MAX_RESPONSE_GRID_SIZE



https://www.geekcert.com/1Z0-531.html 2021 Latest geekcert 1Z0-531 PDF and VCE dumps Download

Correct Answer: BC

1042017 Network error:

1Z0-531 Exam Questions Latest 1Z0-531 Dumps 1Z0-531 Braindumps



To Read the Whole Q&As, please purchase the Complete Version from Our website.

Try our product!

100% Guaranteed Success

100% Money Back Guarantee

365 Days Free Update

Instant Download After Purchase

24x7 Customer Support

Average 99.9% Success Rate

More than 800,000 Satisfied Customers Worldwide

Multi-Platform capabilities - Windows, Mac, Android, iPhone, iPod, iPad, Kindle

We provide exam PDF and VCE of Cisco, Microsoft, IBM, CompTIA, Oracle and other IT Certifications. You can view Vendor list of All Certification Exams offered:

https://www.geekcert.com/allproducts

Need Help

Please provide as much detail as possible so we can best assist you. To update a previously submitted ticket:





Any charges made through this site will appear as Global Simulators Limited.

All trademarks are the property of their respective owners.

Copyright © geekcert, All Rights Reserved.