



# 1Z0-590<sup>Q&As</sup>

Oracle VM 3.0 for x86 Essentials

## Pass Oracle 1Z0-590 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/1z0-590.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





### QUESTION 1

How can you tell that a virtual network interface in a virtual machine is set up to use Paravirtualization?

- A. The vm.cfg file will have a xenbrX = [type=netfront] setting.
- B. The vm.cfg file will have a vif = [type=netpv] setting.
- C. The vm.cfg file will have a vif = [type=netfront] setting.
- D. The vm.cfg file will have a xenbrX ttype=pvfront] setting.
- E. The vm.cfg file will have a xenbrX = [type=netpv] setting.

Correct Answer: C

---

### QUESTION 2

Identify the mechanism for combining one or more network interfaces to provide better throughput and failover capabilities.

- A. VLAN
- B. Port authentication
- C. Spanning Tree
- D. Link Aggregation
- E. Dedicated link

Correct Answer: D

Reference: [http://docs.oracle.com/cd/E36500\\_01/E36503/html/performance-networking.html](http://docs.oracle.com/cd/E36500_01/E36503/html/performance-networking.html) (see 7.5.2)

---

### QUESTION 3

Which two are characteristics of block I/O in a fully hardware virtualized configuration?

- A. The virtual machine I/O path only uses the block device driver from dom0.
- B. The virtual machine relies on emulation of the hardware in dom0 for block I/O. the guest
- C. The virtual machine I/O path includes the native block device drivers from operatingsystem.
- D. The virtual machine does not need a block device driver.
- E. The virtual machine must provide emulation of the hardware through its own IOEMU drivers.



Correct Answer: BC

---

#### QUESTION 4

During installation of Oracle VM Manager to a new Oracle Enterprise Linux server, the installer fails with a message indicating that there is insufficient swap space.

What is the cause for this error?

- A. The installer has determined that the Oracle application server's (OC4J) minimum requirement for swap space has not been met.
- B. The installer has determined that the Oracle Database XE server's minimum requirement for swap space has not been met.
- C. The installer has determined that there is insufficient swap space to unpack the installer into the /var subdirectory.
- D. The installer has determined that the swap space recognized by the system has been incorrectly formatted to use TMPFS instead of SWAPFS.

Correct Answer: B

---

#### QUESTION 5

What command will show the current status of all Oracle VM Agent components?

- A. service ovs status
- B. xm show ovs-agent
- C. service ovs-agent status
- D. repos.py -1
- E. xm dmesg

Correct Answer: C

[1Z0-590 PDF Dumps](#)

[1Z0-590 VCE Dumps](#)

[1Z0-590 Study Guide](#)