

1Z0-632^{Q&As}

PeopleSoft PeopleTools 8.5x Implementation Essentials

Pass Oracle 1Z0-632 Exam with 100% Guarantee

Free Download Real Questions & Answers PDF and VCE file from:

https://www.geekcert.com/1z0-632.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by Oracle
Official Exam Center

- Instant Download After Purchase
- 100% Money Back Guarantee
- 365 Days Free Update
- 800,000+ Satisfied Customers





QUESTION 1

This exhibit shows the Structure tab of the component definition.

```
PSU_TASK_RESOURCES (Component)
   Scroll - Level 0
PSU_TASK_TBL (Table)
   Scroll - Level 1 Primary Record: PSU_TASK_RSRC
    PSU_TASK_RSRC (Table)
          A TASK (Record Field)
          RESOURCE_NAME (Record Field)
          NSTRUCTOR (Record Field)

    PHONE (Record Field)

          PCT_AVAILABLE (Record Field)
          COMPLETED_FLAG (Record Field)
         DERIVED_TRAIN (Derived)
         Scroll - Level 2 Primary Record: PSU_TASK_EFFORT
         PSU_TASK_EFFORT (Table)
             TASK (Record Field)
             RESOURCE_NAME (Record Field)
             EFFORT_DT (Record Field)
             EFFORT_AMT (Record Field)
             CHARGE_BACK (Record Field)
```

The following PeopleCode program has been placed on the RowInit event for the Level 2 component record (PSU_TASK_EFFORT)

```
If PSU_TASK_RSRC.COMPLETED_FLAG = "Y" Then
   Local Record &Rec_TaskEffort = GetRecord();
   For &i = 1 To &Rec_TaskEffort.FieldCount
        &Rec_TaskEffort.GetField(&i).Enabled = False;
   End-For;
End-If;
```

Which three changes are required to move this program to the RowInit event for the Level 1 component record (PSU_TASK_RSRC)? (Choose three.)

- A. Add an outer loop to loop through each row in the level 2 rowset
- B. Instantiate the level 2 rowset from the level 1 row
- C. Add on outer loop to loop through each record in the level 2 rowset
- D. Instantiate the level 1 row
- E. For each level 2 row, instantiate a record object
- F. Instantiate a record object for the level 1 row

Correct Answer: BCF

https://www.geekcert.com/1z0-632.html

2024 Latest geekcert 1Z0-632 PDF and VCE dumps Download

QUESTION 2


Which event or events should you use for PeopleCode to autogenerate the purchase order number, the high-level key for the orders page?

- A. SaveEdit
- B. SavePostChange
- C. SaveEdit and SavePreChange
- D. SavePreChange
- E. SaveEdit and SavePostChange

Correct Answer: B

QUESTION 3

View the exhibits.



https://www.geekcert.com/1z0-632.html

2024 Latest geekcert 1Z0-632 PDF and VCE dumps Download

	Purchased formation you have and click Search. Leave fields blank for a list of all values
Find an E	xisting Value Add a New Value
▼ Searcl	Criteria
Customer: Description	begins with V
	ensitive

Based on the page layout, what is wrong with the search page and how should you fix it?

- A. The Add actions should not be available; check the component definition foe the Item Label
- B. Include History and Correction should be displayed; check the Internet tab of the Component Properties dialog box
- C. The Add action should not be available; check the Internet tab of the Component Properties dialog box
- D. Include History and Correction should be displayed; check the Use tab of the Component Properties dialog box
- E. The Add action should not be available; check the Use tab of the Component Properties dialog box

Correct Answer: D

Reference:

https://docs.oracle.com/cd/E57990_01/pt853pbh2/eng/pt/tpst/task_WorkingwithSearchPages027de6.html#topofpage

QUESTION 4

Which PeopleCode statement should you use to instantiate a Row object for the current row?

- A. andRow = GetRow();
- B. andRow = andRowset.GetCurrRow;
- C. andRow = andRowset.GetRow;
- D. andRow = CreateRow();
- E. andRow = andRowset.Row();

Correct Answer: C

https://www.geekcert.com/1z0-632.html

2024 Latest geekcert 1Z0-632 PDF and VCE dumps Download

Reference: https://docs.oracle.com/cd/E28394_01/pt852pbh1/eng/psbooks/tpcr/chapter.htm?File=tpcr/htm/ tpcr38.htm


QUESTION 5

When registering fluid components, assume you usually create the content references so that they reside in the My Fluid Applications folder as shown in the exhibit.

Root Fluid > Structure Content > Fluid Pages

Structure and Content

- *Click the folder table to view the child folders and content references for that folder
- *Click the "Edit" link to edit the folder definition



Add Folder

However, for your Fluid Billing component, you register the component so the content reference resides in a folder outside the Fluid Pages folder in the Billing folder (Root>Billing).

What effect does this have on users accessing this component?

- A. A tile for this fluid component cannot be added to a fluid homepage using the Add Tile button on the Personalize Homepage page
- B. Users will not be able to add this component to their Favorites list
- C. There is no effect on the user accessing the component. The component can be accessed the same ways as any fluid component
- D. Users will not be able to access this component using a smartphone or tablet
- E. Users will not be able to navigate to the component using the NavBar, Navigator option

Correct Answer: A

1Z0-632 PDF Dumps

1Z0-632 Exam Questions

1Z0-632 Braindumps