



# 1Z0-750<sup>Q&As</sup>

Oracle Application Express 18: Developing Web Applications

## Pass Oracle 1Z0-750 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/1z0-750.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle  
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





### QUESTION 1

Which three sources can be used for a classic report? (Choose three.)

- A. RESTful Web Source module
- B. CSV (comma separated values) file
- C. PL/SQL function returning a SQL query
- D. PL/SQL function returning a single value variable
- E. SQL Query
- F. PL/SQL stored procedure with the OUT parameter
- G. Excel spreadsheet

Correct Answer: ACE

---

### QUESTION 2

You want to use the session state value of a page item in the SELECT statement for a report on another page.

What is the correct way to reference the value of a page item in a SQL statement?

- A. andPAGE\_ITEM
- B. v('PAGE\_ITEM\\')
- C. APEX\_UTIL.GET\_SESSION\_STATE(p\_item => 'PAGE\_ITEM')
- D. :PAGE\_ITEM

Correct Answer: C

Reference: [https://docs.oracle.com/en/database/oracle/application-express/19.2/aeapi/GET\\_SESSION\\_STATE-Function.html#GUID-8BB0C252-C4DB-4300-AA34-9E1FF3B2DAA7](https://docs.oracle.com/en/database/oracle/application-express/19.2/aeapi/GET_SESSION_STATE-Function.html#GUID-8BB0C252-C4DB-4300-AA34-9E1FF3B2DAA7)

---

### QUESTION 3

Trillian wants to pass an item value, which includes a comma, such as the value Donuts, Coffee, in the URL when calling another page.

How can Trillian escape the item value so that the comma is interpreted correctly?

- A. /Donuts,Coffee/
- B. \Donuts,Coffee\
- C. Donuts\,Coffee



---

D. "Donuts,Coffee"

Correct Answer: D

---

#### QUESTION 4

A City Administration app has two select lists (LOVs). P1\_STATE is based on "STATE" and P1\_CITY is based on "CITY".

The CITIES table includes both the STATE and CITY columns. When a state is selected, the application should display only cities within the selected state, not all cities.

How can you limit the cities to display only those for the selected state?

- A. Write a Set Value dynamic action against P1\_STATE to require the P1\_CITY based on the selected STATE.
- B. Add P1\_STATE to the "Page Items to Submit" property in P1\_CITY.
- C. In P1\_CITY, set the "Cascading LOV Parent Item(s)" to P1\_STATE.
- D. Write an Execute PL/SQL Code dynamic action against P1\_CITY to select the correct cities based on P1\_STATE.

Correct Answer: A

---

#### QUESTION 5

Which four tasks can you perform using the Shared Components section in Application Builder? (Choose four.)

- A. Edit the No Data Found messages for multiple report regions in the application
- B. Manage translatable text messages for the application
- C. Review debug messages generated by the application
- D. Change the application alias
- E. Manage application upgrade scripts
- F. Change navigational components of the application
- G. Add different application roles and configure their role assignment
- H. Delete multiple application pages

Correct Answer: ABDG

[1Z0-750 PDF Dumps](#)

[1Z0-750 Practice Test](#)

[1Z0-750 Braindumps](#)