

1Z0-803^{Q&As}

Java SE 7 Programmer I

Pass Oracle 1Z0-803 Exam with 100% Guarantee

Free Download Real Questions & Answers PDF and VCE file from:

https://www.geekcert.com/1Z0-803.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by Oracle
Official Exam Center

- Instant Download After Purchase
- 100% Money Back Guarantee
- 365 Days Free Update
- 800,000+ Satisfied Customers



QUESTION 1

Which two are valid array declaration?

A. Object array[];

B. Boolean array[3];

C. int[] array;

D. Float[2] array;

Correct Answer: AC

QUESTION 2

Given the code fragment:

```
int j=0, k=0;

for(int i=0; i < x; i++) {
    do {
        k = 0;
        while (k < x);
        k++;
        System, out.print(k + " ");
    }
    System, out.println(" ");
    j++;
} while (j < y);
System.out.println("---");
}</pre>
```

What values of x, y, z will produce the following result?

123412341234

1234

A. X = 4, Y = 3, Z = 2

B. X = 3, Y = 2, Z = 3

C. X = 2, Y = 3, Z = 3

D. X = 4, Y = 2, Z = 3

E. X = 2, Y = 3, Z = 4

VCE & PDF GeekCert.com

https://www.geekcert.com/1Z0-803.html

2021 Latest geekcert 1Z0-803 PDF and VCE dumps Download

Correct Answer: E

Z is for the innermost loop. Should print 1 2 3 4. So Z must be 4. Y is for the middle loop. Should print three lines of 1 2 3 4. So Y must be set 3. X is for the outmost loop. Should print 2 lines of. So X should be 2.

QUESTION 3

Given:

What is the result?

- A. Marrown String out of limits JesOran
- B. Marrown String out of limits Array out of limits
- C. Marrown String out of limits
- D. Marrown NanRed JesOran

Correct Answer: A

QUESTION 4

Given the code fragment:

int b = 3;

if (!(b > 3)) {

System.out.println("square ");



https://www.geekcert.com/1Z0-803.html

2021 Latest geekcert 1Z0-803 PDF and VCE dumps Download

{
System.out.println("circle ");
System.out.println("");
Vhat is the result?
A. square
3. circle
C. squarecircle
D. Compilation fails.
Correct Answer: C

QUESTION 5

Give:

Public Class Test { }

Which two packages are automatically imported into the java source file by the java compiler?

- A. Java.lang
- B. Java.awt
- C. Java.util
- D. Javax.net
- E. Java.*
- F. The package with no name

Correct Answer: AF

For convenience, the Java compiler automatically imports three entire packages for each source file: (1) the package with no name, (2) the java.lang package, and (3) the current package (the package for the current file).

Note:Packages in the Java language itself begin with java. or javax.

Incorrect answers:

Java.awt: basic hierarchy of packages for native GUI components Javax.net: networking operations, sockets, DNS lookups, etc.

Latest 1Z0-803 Dumps

1Z0-803 VCE Dumps

1Z0-803 Exam Questions



To Read the Whole Q&As, please purchase the Complete Version from Our website.

Try our product!

100% Guaranteed Success

100% Money Back Guarantee

365 Days Free Update

Instant Download After Purchase

24x7 Customer Support

Average 99.9% Success Rate

More than 800,000 Satisfied Customers Worldwide

Multi-Platform capabilities - Windows, Mac, Android, iPhone, iPod, iPad, Kindle

We provide exam PDF and VCE of Cisco, Microsoft, IBM, CompTIA, Oracle and other IT Certifications. You can view Vendor list of All Certification Exams offered:

https://www.geekcert.com/allproducts

Need Help

Please provide as much detail as possible so we can best assist you. To update a previously submitted ticket:





Any charges made through this site will appear as Global Simulators Limited. All trademarks are the property of their respective owners. Copyright © geekcert, All Rights Reserved.