



1Z0-808^{Q&As}

Java SE 8 Programmer I

Pass Oracle 1Z0-808 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/1z0-808.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

Given the code fragment:

```
int a[] = {1, 2, 3, 4, 5};  
for(XXX) {  
    System.out.print(a[e]);  
}
```

Which option can replace xxx to enable the code to print 135?

- A. int e = 0; e
- B. int e = 0; e
- C. int e = 1; e
- D. int e = 1; e

Correct Answer: B

QUESTION 2

Given:

```
class Student {  
    String name;  
    int age;  
}
```

Given the code fragment:



```
4. public class Test {
5.     public static void main(String[] args) {
6.         Student s1 = new Student();
7.         Student s2 = new Student();
8.         Student s3 = new Student();
9.         s1 = s3;
10.        s3 = s2;
11.        s2 = null;
12.    }
13.}
```

Which two sets of actions, independently, enable the code fragment to print Fit?

- A. At line n1 insert: `import clothing.Shirt;` At line n2 insert: `String color = getColor();`
- B. At line n1 insert: `import clothing.*;` At line n2 insert: `String color = Shirt.getColor();`
- C. At line n1 insert: `import static clothing.Shirt.getcolor;` At line n2 insert: `String color = getColor();`
- D. At line n1 no changes required. At line n2 insert: `String color = Shirt.getColor();`
- E. At line n1 insert: `import clothing;` At line n2 insert: `String color = Shirt.getColor();`

Correct Answer: D

QUESTION 3

Given the code fragment:



```
public class App {
    int count;
    public static void displayMsg () {
        count++;
        System.out.println ("Welcome "+"Visit Count: "+count
    }
    public static void main (String [] args) {
        App.displayMsg ();
        App.displayMsg ();
    }
}
```

What is the result?

- A. An exception is thrown at runtime.
- B. -1
- C. 5
- D. 0

Correct Answer: C

QUESTION 4

Given the code fragment: What is the result?



```
class Animal {
    String type = "Canine";
    int maxSpeed = 60;

    Animal () {}

    Animal (String type, int maxSpeed) {
        this.type = type;
        this.maxSpeed = maxSpeed;
    }
}

class WildAnimal extends Animal {
    String bounds;

    WildAnimal (String bounds) {
        //line n1
    }

    WildAnimal (String type, int maxSpeed,String bounds) {
        //line n2
    }
}
```

- A. 5 : 5
- B. 10 : 10
- C. 5 : 10
- D. Compilation fails.

Correct Answer: B

QUESTION 5

Given:



```
public class Test {  
  
    public static void main(String[] args) {  
        if (args[0].equals("Hello") ? false : true) {  
            System.out.println("Success");  
        } else {  
            System.out.println("Failure");  
        }  
    }  
}
```

And given the commands:

```
javac Test.java
```

```
Java Test Hello
```

What is the result?

- A. Success
- B. Failure
- C. Compilation fails.
- D. An exception is thrown at runtime

Correct Answer: A

[Latest 1Z0-808 Dumps](#)

[1Z0-808 Practice Test](#)

[1Z0-808 Study Guide](#)