

1Z0-808^{Q&As}

Java SE 8 Programmer I

Pass Oracle 1Z0-808 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.geekcert.com/1z0-808.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by Oracle Official Exam Center

Instant Download After Purchase

- 100% Money Back Guarantee
- 🔅 365 Days Free Update
- 800,000+ Satisfied Customers





QUESTION 1

Given the code fragment:

```
A. java:
package pl;
public class A {
}
B. java:
package p1.p2;
//line n1
public class B {
        public void doStuff () {
                 A b = new A ();
         }
}
C. java
package p3;
//line n2
public class C {
        public static void main (String [] args) {
                A 01 = new A ();
                B 02 = new B ();
         }
}
```

Test.java



Replace line n1 with: import p1.*; Replace line n2 with: import p1. p2.*;

Which is the result?

A. Compilation fails in the Employee class.

B. null : 0 : 0 Jack : 50 : 0 chloe : 40 : 5000

C. null: 0:0 Jack: 50:2000 chloe: 40:5000

D. Compilation fails in the Test class.

E. Both the Employee class and the test class fail to compile.

Correct Answer: E

QUESTION 2

Given:

```
public class Series {
    private boolean flag;

    public void displaySeries() {
        int num = 2;
        while (flag) {
            if (num % 7 == 0)
               flag = false;
            System.out.print(num);
            num += 2;
        }
    )
    public static void main(String[] args) {
        new Series().displaySeries();
    }
}
```

What is the result?

A. 24681012

B. 2 4 6 8 10 12 14

C. Compilation fails

D. The program prints multiple of 2 infinite times



E. The program prints nothing

Correct Answer: B

QUESTION 3

```
Given:
```

```
interface I {
    public void displayI();
}
abstract class C2 implements I {
    public void displayC2() {
        System.out.print("C2");
    }
}
class C1 extends C2 {
    public void displayI() {
        System.out.print("C1");
    }
}
What is the result?
```

A. 3456

B. 3 4 3 6

C.5456

D. 3656

Correct Answer: D

```
C2 obj1 = new C1();
I obj2 = new C1();
C2 s = (C2) obj2;
I t = obj1;
t.displayI();
s.displayC2();
```



QUESTION 4

Given the code fragment:

```
public static void main(String[] args) {
    String[] arr = {"A", "B", "C", "D"};
    for (int i = 0; i < arr.length; i++) {
        System.out.print(arr[i] + " ");
        if (arr[i].equals("D")) {
            System.out.println("Work done");
            break;
        }
        continue;
    }
}</pre>
```

What is the result?

A. 1 3 5 7 1 3

B. 1 2 1 3

C.131300

D. 1 3 followed by an ArrayIndexOutOfBoundsException

E. Compilation fails.

Correct Answer: B



QUESTION 5

Given:



<pre>public class Test2 { public static void doChange(int[] arr) for(int pos = 0; pos < arr.length; arr[pos] = arr[pos] + 1; } }</pre>	(pos++) (
<pre>public static void main(String[] args) int[] arr = {10, 20, 30}; doChange(arr); for(int x: arr) {</pre>	(
System.out.print(x + ", "); } doChange(arr[0], arr[1], arr[2]); System.out.print(arr[0] + ", " + ar }	rr[1] + ", " + arr[2]);

A. a, e i, i

B. a, e o, o

C. e, e i, i

D. a, a o, o

Correct Answer: A

Latest 1Z0-808 Dumps

1Z0-808 Study Guide

1Z0-808 Exam Questions