



1Z0-808^{Q&As}

Java SE 8 Programmer I

Pass Oracle 1Z0-808 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/1z0-808.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

Given the code fragment: What is the result?

```
public static void main (String [] args) {  
    ArrayList<Integer> points = new ArrayList<> ();  
    points.add (1);  
    points.add (2);  
    points.add (3);  
    points.add (4);  
    points.add (null);  
    points.remove (2);  
    points.remove (null);  
    System.out.println(points);  
}
```

- A. Compilation fails at both line n1 and line n2.
- B. Compilation fails only at line n2.
- C. Compilation fails only at line n1.
- D. Jesse 25 Walter 52

Correct Answer: B

QUESTION 2

Given: What is the result?

```
Exception in thread "main" java.lang.ClassCastException: class CC$1C1 cannot be cast to class CC$1C2 (CC$1C1 and CC$1C2 are in unnamed module of loader 'app'  
at CC.main(CC.java:9)
```

- A. true
- B. false
- C. -1
- D. 0



Correct Answer: C

QUESTION 3

Given:

```
public static void main(String[] args) {
    int[][] arr = new int [2] [4];
    arr[0] = new int []{1, 3, 5, 7};
    arr[1] = new int []{1, 3};
    for (int[] a : arr) {
        for (int i : a) {
            System.out.print(i+ " ");
        }
        System.out.println();
    }
}
```

Which code fragment can replace the if block?

```
String stuff = "TV";
String res = null;
```

```
if (stuff.equals ("TV")) {
    res = "Walter";
} else if (stuff.equals ("Movie) ) {
    res= "White";
} else {
    res= "No Result";
}
```

A. B. C. D.

Correct Answer: D

**QUESTION 4**

Given the code fragment:

```
for (int ii = 0; ii
int count = 0;
for (int jj = 3; jj > 0; jj--) {
if (ii == jj) {
++count;
break;
}
}
System.out.print(count);
continue;
}
```

What is the result?

- A. 011
- B. 012
- C. 123
- D. 000

Correct Answer: A

QUESTION 5

Given the code snippet from a compiled Java source file:



```
1 public class Main {
2
3     File IO Status
4     all io completed
5
6
7
8     public void initialize(int x, int y) {
9         this.x = x * x;
10        this.y = y * y;
11    }
12
13    public static void main(String[] args) {
14        int x = 9, y = 5;
15        Test obj = new Test(x, y);
16        System.out.print(x + " " + y);
17    }
18 }
```

```
Java(TM) SE Runtime Environment (build 1.8.0_31-b13)
Java HotSpot(TM) 64-Bit Server VM (build 25.31-b07, mixed mode)
> javac -classpath ./run_dir/junit-4.12.jar:/run_dir/hamcrest-core-1.3.jar:/run_dir/json-simple-1.1.1.jar -d . Main.java
> java -classpath ./run_dir/junit-4.12.jar:/run_dir/hamcrest-core-1.3.jar:/run_dir/json-simple-1.1.1.jar Main
9 5
```

and this output:

```
int wd = 0;
String days[] = {"sun", "mon", "wed", "sat"};
for (String s:days) {
    switch (s) {
        case "sat":
        case "sun":
            wd -= 1;
            break;
        case "mon":
            wd -= 1;
            break;
        case "wed":
            wd += 2;
    }
}
```

Which command should you run to obtain this output?

- A. java MyFile 1 2 2
- B. java MyFile 2
- C. java MyFile 1 2 3 4
- D. java MyFile 2 2

Correct Answer: A

[Latest 1Z0-808 Dumps](#)

[1Z0-808 VCE Dumps](#)

[1Z0-808 Brindumps](#)