



1Z0-809^{Q&As}

Java SE 8 Programmer II

Pass Oracle 1Z0-809 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/1z0-809.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

Which two statements are true about synchronization and locks? (Choose two.)

- A. A thread automatically acquires the intrinsic lock on a synchronized statement when executed.
- B. The intrinsic lock will be retained by a thread if return from a synchronized method is caused by an uncaught exception.
- C. A thread exclusively owns the intrinsic lock of an object between the time it acquires the lock and the time it releases it.
- D. A thread automatically acquires the intrinsic lock on a synchronized method's object when entering that method.
- E. Threads cannot acquire intrinsic locks on classes.

Correct Answer: AB

Reference: <https://docs.oracle.com/javase/tutorial/essential/concurrency/locksinc.html>

QUESTION 2

Given: and the code fragment:

```
public class Vehicle {
    int vId;
    String vName;
    public Vehicle(int vIdArg, String vNameArg) {
        this.vId = vIdArg;
        this.vName = vNameArg;
    }
    public int getVId() { return vId; }
    public String getVName() { return vName; }
    public String toString() {
        return vName;
    }
}
```

```
List<Vehicle> vehicle = Arrays.asList(
    new Vehicle(2, "Car"),
    new Vehicle(3, "Bike"),
    new Vehicle(1, "Truck"));
vehicle.stream()
    // line n1
    .forEach(System.out::print);
```

Which two code fragments, when inserted at line n1 independently, enable the code to print TruckCarBike?



- A. `.sorted ((v1, v2) -> v1.getId())`
- B. `.sorted (Comparable.comparing (Vehicle: :getVName)).reversed ()`
- C. `.map (v -> v.getId()) .sorted ()`
- D. `.sorted((v1, v2) -> Integer.compare(v1.getId(), v2.getId()))`
- E. `.sorted(Comparator.comparing ((Vehicle v) -> v.getId()))`

Correct Answer: DE

QUESTION 3

Which statement is true about `java.time.Duration`?

- A. It tracks time zones.
- B. It preserves daylight saving time.
- C. It defines time-based values.
- D. It defines date-based values.

Correct Answer: C

Reference: <http://tutorials.jenkov.com/java-date-time/duration.html#accessing-the-time-of-a-duration>

QUESTION 4

Given:

```
public class product {  
    int id; int price;  
  
    public Product (int id, int price) {  
        this.id = id;  
        this.price = price;  
    }  
  
    public String toString() { return id + ":" + price; }  
}
```

and the code fragment:

```
List products = Arrays.asList(new Product(1, 10),  
    new Product (2, 30),
```



```
new Product (2, 30));
```

```
Product p = products.stream().reduce(new Product (4, 0), (p1, p2) -> {
```

```
p1.price+=p2.price;
```

```
return new Product (p1.id, p1.price);});
```

```
products.add(p);
```

```
products.stream().parallel()
```

```
.reduce((p1, p2) -> p1.price > p2.price ? p1 : p2)
```

```
.ifPresent(System.out: :println);
```

What is the result?

A. 2 : 30

B. 4 : 0

C. 4 : 60

D. 4 : 60

2 : 30

3 : 20

1 : 10

E. The program prints nothing.

Correct Answer: C

QUESTION 5

Given:

```
public class Counter {
```

```
public static void main (String[ ] args) {
```

```
int a = 10;
```

```
int b = -1;
```

```
assert (b >=1) : "Invalid Denominator";
```

```
int = a / b;
```

```
System.out.println (c);
```

```
}
```



```
}
```

What is the result of running the code with the -ea option?

- A. -10
- B. 0
- C. An AssertionError is thrown.
- D. A compilation error occurs.

Correct Answer: C

[1Z0-809 Study Guide](#)

[1Z0-809 Exam Questions](#)

[1Z0-809 Braindumps](#)